

# How does product liability risk affect innovation? Evidence from medical implants\*

Alberto Galasso<sup>†</sup>

Hong Luo<sup>‡</sup>

July 2, 2018

## Abstract

Liability laws designed to compensate for harms caused by defective products may also affect innovation incentives. This paper examines this issue, exploiting a major quasi-exogenous increase in liability risk faced by US suppliers of polymers used to manufacture medical devices implanted in human bodies. Difference-in-differences analyses suggest that the surge in liability risk had a large and negative impact on downstream innovation in medical implants but no significant effect on upstream polymer patenting. These findings show how tort laws may affect the development of new technologies and how liability risk may percolate through an industry's vertical chain.

**Keywords:** product liability, innovation, tort, medical devices, vertical foreclosure

**JEL Codes:** O31, O32, O34, K13.

## 1 Introduction

Product liability laws protect customers from defective or dangerous products. In 2016, product liability cases accounted for roughly 70 percent of the personal injury civil cases filed in US district courts. These cases often make the headlines because of their large damage awards. For example, General Motors recently paid about \$2.5 billion in penalties and settlements in cases involving faulty ignition switches linked to 124 deaths and 275 injuries.

---

\*We thank Philippe Aghion, James Dana, Michael Frakes, Matt Grennan, Deepak Hegde, Curtis Huttenhower, Arti Rai, Kathryn Spier, Ross Schmucki, Martin Watzinger, Rosemarie Ziedonis and seminar participants at Columbia Business School, the University of Toronto, the Innovation conference at the London School of Economics, the IFN Stockholm Entrepreneurship and Innovation conference, the 2018 ASSA annual meeting in Philadelphia, and the Duke Empirical Health Law conference for helpful comments. Madeleine Rawling, Taro Tan, Melanie Vig, Esther Yan, Louise Yu, and Darya Zotova provided excellent research assistance. We are grateful for financial support from the Michael Lee-Chin Family Institute for Corporate Citizenship at the University of Toronto and the Social Sciences and Humanities Research Council of Canada.

<sup>†</sup>University of Toronto, CEPR, and NBER; email: Alberto.Galasso@Rotman.Utoronto.Ca.

<sup>‡</sup>Harvard Business School; email: hluo@hbs.edu.

In an influential book examining more than 100 industries across major trading nations, Porter (1990) recommends “*a systematic overhaul of the U.S. product liability system,*” arguing that in the U.S., “*product liability is so extreme and uncertain as to retard innovation.*” This idea that liability is high and has a negative impact on firms’ willingness to develop new technologies is common in the legal literature (e.g., Huber, 1989; Parchomovsky and Stein, 2008; Priest, 2011) and has shaped high-profile legal cases (e.g., the 2007 Riegel v. Medtronic Supreme Court case). Proponents of tort reforms often make similar arguments.<sup>1</sup>

Despite its intuitive appeal, this widely supported view is not consistent with the scarce empirical evidence. If anything, the two large-sample empirical studies examining this issue—Viscusi and Moore (1993) and Galasso and Luo (2017)—show that, on average, higher liability risk induces higher R&D spending and more patenting. While this general lack of empirical support suggests that wholesale scaling back of the liability system may not be the appropriate policy, the open question remains: under what conditions do liabilities retard innovation? This paper provides new insights in this direction by identifying and empirically examining an environment in which an increase in liability risk negatively affects innovation.

Today, advances in fields such as artificial intelligence and sophisticated robotics (driverless cars, robot-assisted surgeries, and robot caregivers for the elderly and disabled) have generated lively policy debates over whether existing liability systems constrain technological progress and present an opportunity to redesign liability rules. For example, in February 2017, the European Parliament adopted—by a large majority—a resolution containing recommendations for EU-wide legislation to regulate “sophisticated robots, bots, androids and other manifestations of artificial intelligence” and to establish legislative instruments related to the liability for their actions (European Parliament, 2017). Effective design of these policies requires an understanding of how the impact of liabilities depends on the characteristics of the technologies and the economic environment.

This paper exploits a quasi-exogenous surge in liability risk that affected medical implants in the early 1990s. Implants are medical devices placed inside or on the surface of the body, such as replace-

---

<sup>1</sup>For example, in August 2017, the American Tort Reform Association (ATRA) filed an amicus brief in the Massachusetts case of *Rafferty vs. Merck*, arguing that excessive liability risk “would substantially disrupt innovators’ ability to invest in further innovation and their incentive to innovate.”

ment joints, silicone breast implants, and heart valves. The implantable device market is large and innovative and accounts for roughly 25 percent of total medical device sales (Lind, 2017), 20 percent of medical device patenting, and about 60 percent of Food and Drug Administration (FDA) Class III device applications.<sup>2</sup> Medical implants are manufactured using biomaterials that are direct or modified applications of common materials such as metals, polymers and ceramics. These raw materials are often produced by large companies that supply to a wide range of sectors in the economy. During the 1970s and 1980s, large firms, such as DuPont and Dow Chemicals, were the dominant suppliers of polymers and silicone used in many implants, including prostheses, body tissues, pacemakers, and heart valves (Aronoff, 1995). The standard policy for these large companies was to not withhold materials from the medical sector and to warn device producers that suppliers were not responsible for testing and determining the safety of implants (Feder, 1994; Kerouac, 2001).

In the late 1980s, a series of unexpected and widespread problems arose with temporomandibular joint (TMJ) jaw implants and silicone breast implants. Vitek, the leading producer of TMJ implants at the time, filed for bankruptcy in 1990, thus inducing a large number of TMJ implant recipients to file lawsuits against DuPont, which was the ‘deep-pocket’ polymer supplier of Vitek. During the same time period, a leading manufacturer of silicone breast implants also filed for bankruptcy, and silicone suppliers were named as defendants in numerous lawsuits (Feder, 1994). We present a variety of evidence based on industry accounts, congressional hearings, field interviews, courts dockets and media mentions, documenting how Vitek’s bankruptcy in 1990 and the subsequent TMJ and breast implant litigations dramatically raised liability concerns for all material suppliers (not just DuPont) selling to all implant manufacturers (not just the two types of devices directly involved in these litigations). The focus of our analysis will be the impact that this surge in upstream suppliers’ liability risk had on downstream medical implant innovation.

To describe the key trade-offs faced by polymer suppliers and medical device manufacturers, we propose a simple model in which innovation can take place at both the upstream and the downstream stages of a vertical chain. In our model, an upstream supplier sells a homogeneous and necessary input to

---

<sup>2</sup>Class-III devices are devices used to support or sustain human life; devices of substantial importance in preventing impairment of human health; or devices that present a potential, unreasonable risk of illness or injury.

multiple downstream markets. We show that when serving one of the markets generates a high liability risk, the upstream supplier may choose to withdraw from (i.e., foreclose) the risky downstream market. This would have a strong negative impact on downstream firms' profits and innovation incentives in the foreclosed market. At the same time, when the foreclosed market accounts for only a small fraction of upstream revenues, the upstream supplier's innovation incentives are only marginally affected.

Our empirical analysis examines how the shift in liability risk affected innovation activity in implant technologies, using non-implant technologies as the control. Our main sample includes the universe of medical device patents applied for at the United States Patent and Trademark Office (USPTO) between 1985 and 1995. We develop a textual analysis algorithm to identify patents related to implant technologies, exploiting the written description of the invention. We then use the detailed USPTO classification system to identify a set of implant subclasses—i.e., technological subclasses containing a large fraction of implant patents.

We present estimates from a series of difference-in-differences regressions that compare patenting in implant subclasses (treatment group) against patenting in other medical device subclasses (control group) before and after the increase in liability risk triggered by Vitek's 1990 bankruptcy. As mentioned above, we exclude patenting related to TMJ and breast implants and focus on the impact of the shift in liability risk faced by upstream suppliers on other implant technologies.

Our main finding is that medical implant patenting decreased by 36 percent relative to patenting in other medical device technologies after the increase in liability risk. We show that this decline was not driven by differential patenting trends in implant and non-implant subclasses before 1990. Dynamically, the decline started immediately in 1990 and grew larger over time. The increasing magnitude is compatible with implant innovators steadily reducing their patent applications, as an increasing number of polymer and silicone suppliers withdrew from the market.

To control for the potential influence of confounding factors, such as negative technology or demand shocks affecting implant devices at the same time as the increase in liability risk, we subject the data to a variety of additional tests. In particular, we present triple-differences regressions that use patents by foreign firms to control for common technology shocks affecting implant devices. Industry reports suggest that foreign implant producers were less affected by liabilities than US firms because they had

greater access to foreign polymer suppliers. The triple-differences estimates show that, in line with our baseline result, implant patenting by US firms experienced a significant decline, even relative to foreign firms. We also examine the extent to which our finding is driven by firms that could reallocate R&D resources from implant to non-implant technologies. Our estimates suggest that even if such within-firm substitution took place, its influence was likely to be small, implying an overall decline in medical device innovation.

We show that the decline in implant patenting appears to be across the board: the estimated effect is negative and significant across firms of different sizes and patents of different values. We also confirm the significant decline in implant technologies, relative to non-implant technologies, after 1990, using FDA device approval data as an alternative measure of innovation. This suggests that the relative decline in implant innovation takes place both at the early invention stage and at the commercialization stage.

Having documented a large and significant decline in implant innovation, we then explore what happened to innovation by upstream suppliers of polymers used in medical implants. We find no evidence of a negative impact on upstream innovation, even for DuPont. This is consistent with our theoretical model and confirms that the innovation incentives of these large firms were driven by the aggregate demand from multiple downstream markets.

Our results show that an unexpected increase in the liability risk faced by upstream suppliers could have a substantial negative impact on downstream innovation. A back-of-the-envelope calculation, based on estimates by Grennan and Swanson (2017), suggests that the total welfare loss was at least \$4.1 billion per year. To restore the supply incentive of material producers, Congress passed the Biomaterials Access Assurance Act (BAAA) in 1998. This Act exempted material suppliers from liability risk as long as they were not engaged in the design and production of the implants. A precise estimate of the policy's impact on the industry is outside the scope of this paper, but we provide an illustrative analysis indicating that, relative to non-implant technologies, implant patenting recovered gradually four to five years after the BAAA. This finding suggests that federal exemption regulation could be a useful policy instrument when state product liability laws are insufficient to insulate important players in the value chain of innovation from disproportionate liability risk.

Taken together, our findings show that, in certain circumstances, liability risk can have a significant

chilling effect on innovation and can percolate throughout an industry’s vertical chain. The mechanism we document is rather general: the excessive risk faced by firms in one segment may lead to foreclosure, especially if they are suppliers of general purpose technologies or inputs that interact with many downstream industries with heterogeneous risk profiles. More broadly, our paper provides new evidence for how the tort system may affect innovation incentives and suggests that these policies should be designed with such dynamic effects in mind (Finkelstein, 2004).

The paper is organized as follows. Section 2 reviews the literature. Section 3 provides background information on the US medical implant industry and the 1990 shift in liability risk faced by upstream material suppliers. Section 4 presents a motivating theoretical framework, and Section 5 describes the data and our empirical approach. Section 6 presents the empirical results linking liability risk to innovation in medical devices. Section 7 studies the upstream effect of liability risk on innovation in polymers. Section 8 provides a discussion of the welfare effect, the changes in patenting activities associated with the BAAA, and the distinction between upstream and downstream liability risk. Section 9 concludes.

## 2 Related literature

We are aware of only two empirical studies in management and economics that link liability and innovation: Viscusi and Moore (1993) and Galasso and Luo (2017).<sup>3</sup> In their pioneering study, Viscusi and Moore (1993) examine the relationship between product liability insurance costs and R&D investments, using a cross-industry dataset covering large US firms in the 1980s. Their study document a strong positive correlation between liability insurance expenditures and firms’ R&D intensity. They interpret this result as evidence that, on average, product liability promotes a higher level of product safety rather than discouraging innovation.

Galasso and Luo (2017) examine whether tort reforms—i.e., the introduction of caps on damage awards against physicians in the case of medical malpractice liability—affect incentives to develop new medical technologies. The paper develops a theoretical model that predicts that the impact on innovation

---

<sup>3</sup>In two collections of surveys and case studies, Huber and Litan (1991) and Hunziker and Jones (1994) bring together experts from a variety of sectors of the economy. These essays suggest that the impacts of liability can be context-specific, that systematic empirical evidence is scarce, and that future research is needed.

of reducing liability risks for physicians may be positive or negative, depending on the characteristics of the technology. Although liability risk may chill innovation incentives, it may also provide an incentive to develop *risk-mitigating technologies* that reduce the likelihood of a bad outcome. Empirically, the paper finds that, on average, laws that limit healthcare providers' liability exposure are associated with a significant reduction in medical device patenting. Tort reforms have the greatest impact in medical fields in which the probability of facing a malpractice claim is the highest, and they do not seem to affect the number of new technologies of the highest and lowest quality. Together, the results in Viscusi and Moore (1993) and in Galasso and Luo (2017) challenge the dominant view that 'liability retards innovation,' and they suggest that more research is needed to understand the complex and nuanced links between liability and innovation.

Our paper is related to research examining the allocation of liability risk across upstream producers and downstream users. Hay and Spier (2005) study the optimal allocation of tort liabilities between producers and consumers. Helland et al. (2018) conduct a theoretical and empirical analysis of the effect of liability risk faced by pharmaceutical manufacturers and doctors separately. Both of these studies show that, in the presence of heterogeneous consumers or jurisdictions, upstream liabilities may have counterintuitive effects and induce excessive production of risky goods under some conditions. Our model differs from these studies in that it focuses on vertical foreclosure and the effect of liability shift on upstream and downstream innovation investments.

Our analysis is also related to the literature on the relationship between legal liabilities and medical practice. Most studies in this literature exploit the state-level variations in tort reforms. Kessler and McClellan (1996) and Avraham and Schanzenbach (2015) provide evidence for the practice of defensive medicine—i.e., performing excessive tests and procedures because of concerns about malpractice liability—when liability risks are high. Other papers provide more-nuanced evidence on the influence of liability risks on physician behaviors (Currie and MacLeod, 2008; Shurtz, 2014). Frakes (2013) and Frakes and Jena (2016) show that changes in clinical standards substantially affect treatments and diagnostic procedures.

More generally, our paper is related to studies examining how public policies focusing on achieving some social goal other than innovation affect the rate and direction of innovation. In the health sector,

Finkelstein (2004), exploiting three policy changes designed to increase the usage of pre-existing vaccines, finds that these policies are associated with a 2.5-fold increase in clinical trials for new vaccines. Acemoglu et al. (2006) find that the introduction of Medicare is not associated with an increase in drug consumption among the elderly; and, consistent with this, they find no evidence of an increase in the approval of new drugs targeting diseases that affect the elderly. Studying the energy and environment sector, Jaffe and Palmer (1997) conclude that environmental compliance standards increase R&D spending at the firm level, but does not necessarily induce inventive output in the form of successful patent applications.

### **3 Medical implants and their liability risk**

The FDA defines medical implants as devices or tissues that are placed inside or on the surface of the body. Typically, implants are prosthetics (i.e., replacements of body parts) but may also deliver medication, monitor body functions, or provide support to organs and tissues. Silicone breast implants, hip replacement joints and artificial heart valves are all examples of implantable medical devices. Implants are produced using synthetic biomaterials that replace or restore function to body tissue (Davis, 2003). Biomaterials are direct or modified applications of common materials (such as metals, polymers, ceramics, and their composites) that can sustain continuous or intermittent contact with body fluids. These common materials are often produced by large companies that supply a wide range of industrial sectors.

TMJ implants are intended to replace (entirely or in part) the temporomandibular joint (jaw). In the 1980s, Vitek was the leading producer of TMJ implants in the US. Its product obtained FDA approval in 1983 after expert panels reviewed a series of scientific reports and clinical trial results. Oral surgeons across the US liked Vitek's product, which quickly became the state-of-the-art device in the field (Schmucki, 1999). Several years later—unexpectedly and despite the initial positive response—surgeons started to notice widespread problems with Vitek's implants, including fragmentation, bone resorption and delamination. In January 1990, the FDA issued a letter to Vitek advising them to warn surgeons against implanting further devices. In June 1990, Vitek filed for bankruptcy under a deluge of lawsuits.

After Vitek’s bankruptcy, implant recipients started to file a large number of lawsuits against DuPont, the polymer supplier for Vitek’s implants and a large firm with a ‘deep pocket.’ A total of 651 lawsuits were filed, involving 1,605 implant recipients and their spouses (Schmucki, 1999). Eventually, DuPont won all suits that went on trial, but the process took ten years and cost the company over \$40 million (House of Representatives, 1997). This was a large sum compared to the revenue that DuPont obtained from TMJ implants (a few thousand dollars in total, as each device Vitek produces contained only five cents’ worth of DuPont’s raw material). Contemporaneously with the TMJ litigation, problems also surfaced with silicone breast implants, with numerous recipients reporting joint soreness and body pain allegedly related to leakages (Czuba, 2016). Again due to widespread litigation, one of the leading implant manufacturers, Dow Corning, filed for bankruptcy in May 1995. Silicone suppliers, including Dow Corning’s parent companies—Dow Chemicals and Corning—and other suppliers such as General Electric and Union Carbide, became targets of litigation by implant recipients (Feder, 1994).<sup>4</sup>

The TMJ and breast implant litigations had a tremendous impact on the entire medical implant industry because raw materials producers, including those directly involved in these cases, supplied materials to medical device manufacturers for all sorts of implants, from sutures and fracture fixation devices to pacemakers and heart valves. For 30 years, the common supply policy had been to not withhold materials from the medical sector, even though, for many large firms, the revenue from this sector was negligible in comparison to their revenues from other applications (e.g., automotive, electrical or textile markets). According to Aronoff (1995), the implant market value for polymers accounted for only 0.005% of the total revenues from other industries. A common practice, followed by DuPont since the 1950s, was to state that the materials were not made for medical applications and that medical implant manufacturers would have to rely upon their own independent medical judgment. The old supply policy relied on common law protections for component and raw-material suppliers.<sup>5</sup> DuPont

---

<sup>4</sup>At the time of these events, both TMJ and breast implants were classified as Class-II devices, without a stringent requirement of demonstration of safety and effectiveness. In response to emergent safety concerns, the FDA reclassified TMJ devices into Class III—the highest risk category—in 1993 and called for submission of Premarket Approval Applications (PMAs) from all manufacturers of these devices in 1998. For breast implants, the reclassification took place in 1988 and the call for submission of PMAs occurred in 1991.

<sup>5</sup>In particular, the ‘component parts’ and ‘sophisticated purchaser’ doctrines stipulate that the suppliers are not liable unless the component or material per se is defective, or the process of integrating them has caused the adverse effect (Kerouac, 2001). The basic rationales are that if the supplier sells a product that has widespread use in many industries, it would have no specialized knowledge of how the buyer will use the product and could not foresee and remedy the

often went a step further and included citations to the relevant scientific literature on types of adverse reactions from finished implants (Schmucki, 1999).

The TMJ and breast implant litigations implied that these industry practices were not sufficient to protect suppliers from disproportionately high liability risk relative to their expected revenue. Following these events, many material producers dramatically changed their policy for supplying permanent implant producers (Service, 1994).<sup>6</sup> DuPont issued a new supply policy (see Appendix 1) by which it refused to sell materials to manufacturers of permanently implantable medical devices and restricted the supply to temporary implants, whereas its old policy remained unchanged for non-implant devices. A number of other major suppliers also exited the market, and, notably, Dow Chemicals and Dow Corning ceased supplying materials to permanent implant producers in 1992.

A comprehensive report commissioned by the Health Industry Manufacturers Association (HIMA) examined the status of the biomaterial market in the early 1990s (Aronoff, 1995). A survey conducted in the study showed that about 60 percent of surveyed suppliers were unwilling to supply medical implants producers and identified the fear of product liability suits as their primary reason. Respondents were explicit about not wanting to find themselves in the same situation as DuPont. Many of the remaining suppliers required purchasers to execute strong indemnification agreements. They also required proof, in advance of sales, that buyers had enough insurance coverage and other assets to honor those agreements (Baker, 1995).

This supply shift had a significant impact on the availability of biomaterials to medical implant manufacturers. The May 20, 1994 hearing of the US Senate Subcommittee on Regulation and Government Information provides a number of testimonies making this point. For example, James Benson, Senior VP of the Health Industry Manufacturers Association, explained how “*in many cases, there are no alternative suppliers for these materials.*” Other testimonies emphasized that even when alternative existed, the costs required to identify suitable replacements were extremely large. Other statements made in the hearings explained how device companies were responding to these shortages by stockpiling potential hazards. Similarly, if the buyer substantially alters the material, the material supplier will not be held liable to the ultimate consumer.

---

<sup>6</sup>Permanent implants are commonly defined in the industry as devices that stay inside a human body for longer than 30 days.

resources that were still available or by signing more onerous contracts with the few suppliers willing to serve the market. Testifiers claimed that these reactions have affected firms' innovation investments by diverting resources away from the development of new products toward finding and securing materials required for current product lines (Aronoff, 1995).

## 4 Theoretical framework

We develop a simple model to capture some of the basic features of our empirical setting. An upstream (polymer) producer may develop a new product that can be used by manufacturers in downstream market  $A$  (medical implants), as well by many other industries (collectively denoted as a large residual market  $B$ ). Both the upstream firm and the downstream firms in market  $A$  can invest in innovation. For simplicity, we assume that no innovation occurs in market  $B$ . In the following, we first describe a scenario without liability and then introduce a liability risk that the upstream firm faces by supplying market  $A$ .

In the absence of innovation, the upstream firm sells a 'standard' product in a competitive market and obtains zero profits. Innovation requires a fixed development cost,  $I^U$ . If successful, the upstream firm can now sell a new (high-quality) product as a monopolist in both market  $A$  and market  $B$ . The marginal cost of production for the new product is equal to zero.

Market  $A$  is comprised of a continuum of downstream users of mass one. Buying one unit of the upstream input, each user can obtain gross surplus  $v$  after sustaining a fixed development cost,  $I^D$ . We assume that  $v$  is uniformly distributed over the interval  $[I^D, 1 + I^D]$ . This implies that when the input is sold at price  $p$ , only users for which  $v - p - I^D \geq 0$  buy the good, and that the downstream demand for market  $A$  is equal to

$$D^A(p) = 1 - F(p + I^D) = 1 - p.$$

Similarly, we denote with  $D^B(p) = \theta - p$  the demand curve for market  $B$  and assume that  $\theta > 1$ , so that market  $B$  captures a larger share of the upstream firm's business.

We assume that, because of homogeneity in the products sold in the two markets, the upstream firm is restricted to serving both markets at the same price. As we discuss in Section 4.2, this assumption

is not required, but it is reasonable in our empirical setting in which price discrimination is not an option for many suppliers. The objective function for the upstream firm, given that the new product is developed, is

$$\max_p p(1 - p) + p(\theta - p),$$

which gives

$$p^* = \frac{1 + \theta}{4}$$

and implies that the upstream firm's profit is equal

$$\Pi^0 = \frac{(1 + \theta)^2}{8}.$$

Notice that the firm has the option of serving only market  $B$  at the monopoly price of  $p = \theta/2$ , and profits equal to

$$\pi^B = \frac{\theta^2}{4}.$$

The difference between serving both markets and serving only market  $B$  is, therefore,

$$\Pi^0 - \pi^B = \frac{1 + 2\theta - \theta^2}{8}.$$

This difference decreases in  $\theta$  (for  $\theta > 1$ ) and equals zero at  $\bar{\theta} = 1 + \sqrt{2}$ . This implies that the upstream firm will serve only market  $B$  if  $\theta$  is large enough. This is a standard result in the theory of multimarket price discrimination, illustrating how differences in demand elasticity may induce a monopolist to serve only selected markets if it is forced to charge the same uniform price (Robinson, 1933; Tirole, 1988).

We now introduce a product liability risk that the upstream firm faces when serving market  $A$ . Specifically, we assume that each unit sold in market  $A$  generates an expected loss of  $l$  for the upstream firm. The parameter  $l$  can be interpreted as the reduced-form payoff from a liability litigation game (as in Hay and Spier, 2005); it captures the combined effect of the probability that a single unit of the good will cause an injury,  $\pi$ , and the expected cost,  $d$ , that the upstream firm expects to face if an injury occurs—i.e.,  $l = \pi d$ .

Incorporating the liability risk, the upstream firm's objective becomes

$$\max_p (p - l)(1 - p) + p(\theta - p),$$

which gives

$$p^* = \frac{1 + \theta + l}{4}. \quad (1)$$

We focus on the case in which there is positive consumption in both markets at this price.<sup>7</sup> This leads to profits equal to

$$\begin{aligned} \Pi(l) &= \frac{(1 + \theta)^2}{8} - \frac{l}{4} \left(3 - \frac{l}{2} - \theta\right) \\ &= \Pi^0 - \Delta(l, \theta), \end{aligned}$$

where  $\Delta(l, \theta) = \frac{l}{4} \left(3 - \frac{l}{2} - \theta\right)$ , the profit difference between the scenarios with and without liability, is increasing in  $l$ .

Notice that, in the absence of liability, the profit for the upstream firm will be the maximum between  $\Pi^0$  and  $\pi^B$ , whereas, in the presence of liability, the profit becomes the maximum between  $\Pi(l)$  and  $\pi^B$ . Importantly, for every  $\theta \in [1, \bar{\theta}]$ , there is a threshold  $\hat{l}(\theta)$  such that the upstream firm will foreclose downstream market A when  $l > \hat{l}(\theta)$ . Recall that  $\bar{\theta}$  is the threshold size of market B above which the upstream firm would withdraw from market A when there are no liability concerns. This result shows that with liability risk, it is possible for the upstream firm to foreclose market A even when market B is smaller than  $\bar{\theta}$ . Our model, thus, suggests a novel factor that may induce market foreclosure (see Rey and Tirole, 2007 for a review of the other mechanisms considered in the literature).

#### 4.1 Liability risk and innovation incentives

To examine the impact of liability risk on innovation investments, we begin with an analysis of downstream innovation incentives. Because we abstract away from the liability firms in market A face directly, the impact of liability risk on these firms is through the input price. When the input is sold at price  $p$ , the total development cost sustained by downstream firms is

$$R^D = \int_{p+I^D}^{1+I^D} dx = I^D(1 - p),$$

which decreases in  $p$ . As the liability risk increases, we should expect downstream innovation to decrease because the input price, shown in equation (1), increases in  $l$ . Thus, fewer firms are active in the

---

<sup>7</sup>This condition is  $l < \min\{(1 + \theta)/3, 3 - \theta\}$ . Outside this parameter zone, the price is either too high to generate positive consumption or not sufficiently high to compensate the upstream firm to supply market A.

downstream market. Moreover, when  $l > \widehat{l}(\theta)$ , there is a discontinuous drop in innovation because the upstream firm forecloses market  $A$ , which leads to  $R^D = 0$ .

Consider, now, the innovation incentives for the upstream firm. In the absence of product liability risk, innovation investment takes place if

$$\max \{ \Pi(0), \pi^B \} - I^U \geq 0.$$

In the presence of product liability risk,  $l$ , innovation occurs if

$$\max \{ \Pi(0) - \Delta(l), \pi^B \} - I^U \geq 0.$$

This implies that as long as the profits from the residual market B are large enough (i.e.,  $\pi^B \geq I^U$ ), there will be no change in the upstream innovation activity.

## 4.2 Discussion of the implications

In spite of its simplicity, our model delivers a number of insights into the impact of liability risk on innovation incentives.

First, the theoretical framework shows that, while liability risk related to supplying a specific downstream market may affect upstream innovation incentives, its effect is likely to be limited when the downstream market is substantially smaller than the other markets served by the upstream firm. Empirically, this implies that, in our setting, we should expect a very small change in polymer (upstream) innovation activity, despite the large shifts in liability risk perceived by upstream suppliers in the medical implant (downstream) market.

Second, our model illustrates the rationale behind DuPont's decision to foreclose the medical implant market, which we documented in Section 3. To account for the increase in liability risk in market A, the upstream firm would have to increase its price substantially, thus reducing its overall profits. If the increase in liability risk is large enough, the upstream firm is better off focusing on market B and foreclosing the riskier market A completely.

Third, our theoretical framework shows that the impact of liability risk may percolate throughout an industry's vertical chain. Even if the direct costs of litigation are incurred only by the upstream firm, the drop in innovation investment could take place in the downstream market.

A number of assumptions require some discussion. For simplicity, our model assumes that the shift in liability affects only the upstream firm, not the downstream firms operating in market *A*. A direct effect on downstream firms is likely to reduce their innovation incentives even more. Our model shows that liability risk may substantially affect downstream firms even when its direct cost involves only upstream firms.

In our model, the mechanism through which the upstream supplier protects itself is foreclosure of the risky downstream market. In principle, there exist other contractual remedies that could be used to mitigate liability risks. For example, the upstream supplier may demand a stronger indemnification contract from the downstream firms or require larger product-liability insurance coverage. As mentioned in Section 3, suppliers who chose to remain in the market made these arrangements. Introducing these contractual provisions does not change the comparative statics of our model because they reduce downstream firms' margins, which, in turn, discourage innovation. There are a number of potential explanations of why many suppliers in our empirical context did not choose these contractual solutions. The transactions costs of writing complex contracts with many downstream buyers were probably very high relative to the profit margins obtained before the increase in liability risk. Furthermore, parties had to agree on the riskiness of the transaction in order to specify the new contractual terms. This was probably challenging, as uncertainty increased substantially after Vitek's bankruptcy.

Introducing price discrimination in our model would not change our main comparative statics. Liability risk reduces the profitability of market *A* even when sales in this market are independent of the price charged in market *B*. For  $l$  sufficiently large, profits in market *A* become negative, and firm *U* is better off foreclosing the market. Interviews with industry practitioners suggest that price discrimination is difficult in practice for a number of reasons, including the facts that downstream firms can potentially access the homogeneous inputs in secondary markets; that distribution is often through wholesalers; and that transactions costs of writing complex contracts are generally high.

Our model does not consider the possibility that 'deep-pocket' firms may attract more lawsuits, which may be another reason that large firms such as DuPont chose to withdraw from the market. The law and economics literature has discussed a number of reasons that large firms are more likely to be targets of litigation (Spier and Sykes, 1998; Spier, 2005). Intuitively, when the plaintiffs have a small

probability of winning, they find it profitable only to file claims against defendants able to pay large damage awards. Cohen et al. (2016) provide empirical support for this idea in the context of patent litigation. We can include this effect in our model explicitly by assuming that the risk of litigation increases with the size asymmetry between markets B and A. Our results on vertical foreclosure are robust to this extension.

Finally, for simplicity, we assume that the demand functions in markets A and B have the same slope. Our comparative statics hold if we relax this assumption and consider the more realistic case in which consumers are more price-sensitive in market B. In this extension, liability concerns would be the only reason for market foreclosure, as the upstream supplier will always supply market A in the absence of liability concerns.<sup>8</sup>

## 5 Data and methods

Our main source of data is the patent record database from the United States Patents and Trademark Office (USPTO). Each patent is classified by the USPTO using the US patent classification (USPC) system, a detailed scheme of classes and subclasses. Classes typically demarcate broad technological boundaries, whereas subclasses delineate technical features within the scope of a class. A class/subclass pair uniquely identifies a subclass within a class (for example, within class 623 “Prosthesis,” one can find subclass 623/5.12 “Corneal ring” and subclass 623/10 “Ear or nose prosthesis”). Henceforth, for simplicity, we refer to these class/subclass pairs as subclasses.

The USPTO provides a comprehensive list of the subclasses related to medical devices.<sup>9</sup> Moreover, each patent record indicates the primary subclass to which the patent is assigned. Exploiting this information, we retrieved a total of 215,901 medical device patents applied for during the period 1975-2015. These patents span 2,699 unique subclasses.

To categorize subclasses into treatment and control groups, we first identify technologies that are

---

<sup>8</sup>The model also assumes a fixed innovation cost for the upstream firm. We examine an alternative model in which the upstream firm chooses an “innovation intensity” that captures the likelihood of successfully developing a new technology (as in Aghion et al., 2016). In this setup, we can derive a bound for the maximum change in the innovation intensity generated by an increase in liability and show that it approaches zero as  $\theta \rightarrow \bar{\theta}$ . This confirms that the increase in liability may have a very small impact on upstream innovation when the downstream market driving the risk is relatively small.

<sup>9</sup>Details are described in [www.uspto.gov/web/offices/ac/ido/oeip/taf/meddev.htm](http://www.uspto.gov/web/offices/ac/ido/oeip/taf/meddev.htm).

related to medical implants at the patent level. We use a two-step textual analysis procedure to determine whether a patent is an implant patent. First, from the FDA’s product classification database, we retrieve a comprehensive list of device names, each corresponding to a unique product code that identifies a generic category of a device. For each device name, the data provide an “implant flag,” indicating whether the FDA considers it a medical implant. In total, the data comprise 6,044 unique device names in 19 medical specialties. Of these, 568 device names in 14 specialties are flagged as implanted devices. From these 568 implanted device names, we construct a dictionary of keywords capturing the underlying device types. Examples of such keywords are: “stent,” “knee,” “hip,” and “catheter.”

Second, we develop an algorithm to scan the text of the titles, abstracts, and the first claims for each of the 215,901 medical device patents in our sample. We classify a patent as an implant patent if it contains at least one of the keywords in the abovementioned dictionary, together with one of the following terms: “implant,” “implanted,” “implantable,” “implantation,” “prosthetic,” “prosthesis,” and “graft.”

On average, about 20 percent of the patents in each subclass are identified as implant patents, but the variance is substantial. In roughly 65 percent of the subclasses, the fraction of implant patents is below 0.1, and in 19 percent, it is above 0.5. We define a subclass as an *implant subclass* if at least 80 percent of the patents belonging to this class are implant patents. This corresponds to the top decile of the distribution of the shares of implant patents across subclasses. Examples of implant subclasses include: 623-2.21 “Cylindrical pins for heart valves” (83 percent implant patents); 623/19.14 “Implantable humeral bone” (97 percent implant patents); and 623/14.11 “Artificial vocal cords” (100 percent implant patents). Examples of subclasses with a minimal fraction of implant patents include: 128/201.21 “Respiratory devices using liquefied oxygen” (0 percent); 602/22 “Orthopedic bandages for fingers” (0 percent); and 606/36 “Surgical instruments for depilation” (3 percent).<sup>10</sup>

The main dataset for our empirical analysis is a panel tracking patenting activities in each of the medical device subclasses for the period 1985-1995. Because of granting delays, we date the patents using their application year rather than their grant year. The 11-year window 1985-1995 has been chosen

---

<sup>10</sup> As additional supporting evidence for our textual analysis, consider the primary patent class 623, titled “Prosthesis (i.e., artificial body members), parts thereof, or aids and accessories therefor,” which includes about 18,500 patents classified in 376 subclasses. About six percent of the patents in this class belong to subclasses that include only implant patents. Roughly 60 percent of the patents belong to subclasses in which the fraction of implant patents is greater than 0.8, and about 95 percent of the patents belong to subclasses in which the fraction of implant patents is above 0.5.

to capture a symmetric window around 1990, the year in which Vitek went bankrupt. To address one of the endogeneity concerns discussed in the next section, we drop three patent subclasses related to TMJ and breast implants from our analysis. The total number of subclasses in our main dataset is 2,696, and the number of observations is 29,656.

Table 1 provides summary statistics. On average, there are 1.57 patent applications per year in each of the medical device subclasses in our sample. Figure 1 plots the average number of patent applications in implant and non-implant subclasses during our sample period. The figure shows that patenting in non-implant subclasses grew faster than patenting in implant subclasses. Moreover, the two groups of subclasses started to diverge substantially around 1990. While this figure provides a first look at our main result, we now turn to regression analysis to control for other factors that might also contribute to the differential growth rates between the two groups of subclasses.

Apart from medical device patents (downstream innovation), we also examine whether the increase in liability risk faced directly by upstream suppliers affects upstream innovation in materials. Similarly, we use textual analysis to identify material patents that should be differentially affected. We address this issue in detail in Section 7.

## 5.1 Econometric model

Our analysis exploits the unexpected surge in litigation against material suppliers involved in TMJ and breast implants to identify how changes in the liability risk upstream suppliers face affect the innovation incentives of downstream firms. Following Moser and Voena (2012), our empirical strategy compares changes in innovative activity between 1985 and 1995 across medical device patent subclasses that were affected differentially by the increased liability risk. The dependent variable is the number of patents per USPTO subclass and year:

$$Patents_{c,t} = \alpha + \beta Implant_c \times After1990_t + \delta_t + f_c + \varepsilon_{c,t}, \quad (2)$$

where  $Implant_c$  equals 1 if subclass  $c$  is an implant subclass;  $After1990_t$  equals 1 for every year after 1990; and  $\delta_t$  and  $f_c$  are year and subclass fixed effects. The coefficient  $\beta$  of the interaction term between  $Implant_c$  and  $After1990_t$  is the standard difference-in-differences estimator. We cluster the standard

errors at the subclass level for all regressions.

The variable  $After1990_t$  captures the high-liability regime that material suppliers faced following Vitek’s bankruptcy in 1990. Numerous industry and academic studies that describe the state of the medical implant industry during our study period stress that the industry did not foresee the massive litigation against DuPont and other material suppliers. We confirmed this in an interview with Ross Schmucki, senior counsel of DuPont at the time, who stated: “*This sort of mass tort product liability litigation against a raw material supplier was unprecedented and unexpected by the medical device industry and by material suppliers such as DuPont.*” To further examine the timing of the liability shift, we also manually collected litigation and media-mention data. Panel (a) of Appendix Figure A1 plots the timing of TMJ lawsuits involving DuPont as one of the defendants, collected from Bloomberg Law.<sup>11</sup> Only one case per year was recorded in 1987 and 1988, and 17 cases were filed in 1989. Starting in 1990, litigation increased dramatically, from 55 to 135 cases per year by 1994. Panel (b) of Figure A1 plots the timing of news articles referring to DuPont’s implant litigation, retrieved through keyword searches in the Factiva (Dow Jones) database. This figure shows that the media coverage of implant-related litigation events involving DuPont increased substantially in 1991 and persisted throughout the following years. The litigation and media-mention data provide additional support for our choice of the treatment timing. Furthermore, the wide media coverage supports the idea that information on DuPont’s legal battle spread across all industry participants, affecting all participants’ perception about liability risk.

Importantly, there is the concern that medical implants could have been experiencing failures—or other negative technology and demand shocks after 1990—which would have affected the productivity of innovation activities. These confounding factors imply that  $After1990_t$  and the error term,  $\varepsilon_{c,t}$ , are correlated. To address this potential concern, we exclude the three patent subclasses related to TMJ and silicone breast implants from all of our regressions. Industry accounts and congressional documents suggest that implant failures and the corresponding litigation triggering the new liability regime were

---

<sup>11</sup>We searched the database using two keywords in the full text: DuPont (and other variations of the company’s name) and Vitek. We included lawsuits in the following categories: personal Injury/health care/pharmaceutical personal injury/product Liability; personal injury/product liability; personal property/product liability; and contract/product liability. The initial search returned about 650 cases, which is consistent with the number in Schmucki (1999). Removing “spin-off” cases that originated from a different case, there are 485 unique lawsuits. In 44% of these lawsuits, DuPont was named as one of the defendants, while Vitek was not (because Vitek had filed for bankruptcy). In the remaining 56%, both DuPont and Vitek were named among the defendants.

concentrated in these two fields. The exclusion of these fields makes our approach similar to a reduced-form regression, in which the variation in TMJ and breast implant litigation is used as an instrument for the increase in liability risk for other types of implants.

Furthermore, we perform triple-differences regressions using foreign patents of each patent subclass as the benchmark. The rationale behind this exercise is that industry reports suggest that foreign implant producers were less affected by liabilities than US firms because they had greater access to foreign polymer suppliers; at the same time, it is reasonable to assume that both foreign and US innovation experienced similar technology or demand shocks. As we discuss in detail in Section 8.3, these results, together with other evidence, also help us isolate the upstream-foreclosure mechanism explored in our theoretical framework.

Another complication in our setting is that the control group might be ‘contaminated’ in certain ways, which could affect the interpretation of our estimated effect. This may happen for a number of reasons. First, medical device firms patenting in both implant and non-implant subclasses may respond to the liability shift in implant technologies by reallocating their resources from implant to non-implant technologies. Such a substitution effect would generate an increase in patenting in the control group, indicating a change in the direction of R&D rather than a reduction in innovation overall. In the analysis, we explicitly examine the extent to which such a substitution effect, if it exists, might affect the magnitude of the estimated effect on implant technologies.

Second, because of the threshold approach that we use to define the treatment and control groups, the control subclasses also include implant patents. Intuitively, this will cause attenuation bias and lead to an underestimation of the impact of the increase in liability. For robustness, we vary the threshold separating the two groups. In particular, in one specification, we use a clean control group that includes only subclasses with an extremely low proportion of implant patents (below 2%).

Finally, our analysis may also be subject to measurement error because our algorithm could misclassify implant patents. To address this issue, we employed a team of graduate students with degrees in kinesiology and biochemistry to manually classify a random sub-sample of 520 patents. The algorithm classifies 19 percent of these patents as implants, whereas the manual classification resulted in 23 percent, though the difference between the two proportions is not statistically significant ( $p$ -value = 0.11). This

exercise suggests that, if anything, our algorithm might undercount the number of implant patents; and our control subclasses are likely to contain more implant patents than we currently measure. This, again, suggests that our estimate may be conservative.

## 6 Baseline results

Table 2 presents the first set of estimates quantifying the relationship between the increase in the liability risk after 1990 and the patenting activities in implant devices. Column 1 shows a large decline in the average number of patents in implant subclasses after the Vitek bankruptcy, relative to non-implant subclasses, in a regression with only year effects. Column 2 introduces subclass fixed effects (i.e., equation (2)). The magnitude of the estimated effect is reduced by roughly half but remains highly significant. The estimate indicates that in the years after the shift to a higher liability regime, implant subclasses experienced a reduction of roughly 0.56 patents per year, on average, relative to non-implant subclasses. Assuming the same difference between implant and non-implant subclasses before and after 1990, the ‘hypothetical’ average number of patents for implant subclasses would have been 1.54 per year after 1990. This implies that higher liability is associated with a 36-percent reduction in implant patenting.<sup>12</sup>

Columns 3 and 4 show that the effect is robust to varying the cut-off used to define the implant subclasses. The estimated effect of the increase in liability risk is slightly weaker when we employ a more lenient cut-off (column 3). The coefficient is similar to that of our baseline if we employ a more stringent cut-off (column 4). Column 5 shows that the result is robust to dropping patent subclasses for which the fraction of implant patents is between 0.02 (median of the subclass distribution) and 0.8. This regression exploits a more demanding control group (with a fraction of implant patents below 0.02), which is more likely to be totally unaffected by the liability change. Overall, these regressions suggest that how we define treated and untreated subclasses does not substantially affect the negative correlation between liability risk and patenting.

In Table A1 in the Appendix, we confirm our findings using a number of alternative econometric

---

<sup>12</sup>The average number of patents for non-implant subclasses after 1990 is 2.06, and the pre-1990 difference between implant and non-implant subclasses is -0.52 patents per year.

models. First, to account for the heterogeneity in the size of different subclasses, we show that results are slightly stronger when we use a weighted regression, with each observation weighted by the (logarithm of) total patenting in the subclass during the pre-sample period of 1972-1982. Second, the results are robust to using the logarithm of the number of patent applications in the subclass as the dependent variable. This specification mitigates concerns related to the skewed nature of the distribution of patenting.<sup>13</sup> Third, Table A1 shows that our results are also robust to using the count of patents weighted by the citations received from other patents as the dependent variable. As we discuss in greater detail in Section 6.6 on heterogeneous effects, citations are a common measure of patent value in the economics of innovation literature (Pakes and Griliches, 1980).

Finally, in Table A1, we also confirm our results with two Poisson models. First, we use the fixed-effects Poisson estimator of Hausman et al. (1984), which isolates the within-subclass variation in patenting and drops subclasses in which there is no patenting for our entire sample period. Second, we use the Poisson ‘mean scaling’ estimator of Blundell et al. (1999). To implement this method, we calculate the mean of the dependent variable in the 1972-1982 pre-sample data and use it directly in the estimation to control for the initial condition. In both models, we find a large negative decline in implant patenting after 1990.

Overall, the results in this section show that the increase in the liability risk driven by high-profile implant litigations around 1990 is associated with a statistically and economically significant decline in medical implant patenting.

## 6.1 Pre-treatment trend and time-specific treatment effects

A key assumption required for the difference-in-differences approach is that the treatment subclasses have trends similar to those of the control subclasses in the absence of the treatment. To provide support for this assumption, we extend our baseline model to estimate the year-specific differences between the treatment and control subclasses,  $\beta_t$ . Specifically, we estimate:

---

<sup>13</sup>We add one to the number of patents to be able to include subclass-year observations with no patenting. We also include a dummy control variable for observations in which the subclass has zero patents in the year (this correction has essentially no impact on our estimates).

$$Patents_{c,t} = \alpha + \beta_t Implant_c \times Year_t + \delta_t + f_c + \varepsilon_{c,t}, \quad (3)$$

where 1989 is the baseline year.

Panel A of Figure 2 provides a graphical illustration of the estimated coefficients and their 95-percent confidence intervals. Before the liability shift, the estimated differences between the implant and non-implant subclasses are small; they bounce around zero and are statistically insignificant. The results, which show that the decline in implant patenting did not start until 1990, support the common-trends assumption.

The relative decline in implant patenting became statistically significant in 1990. The size of the negative effect became larger and statistically more significant over time. By 1995, the average yearly decrease relative to non-implant subclasses was close to 0.9 patents, four times as large as the effect in 1990. Overall, this pattern is compatible with implant innovators gradually reducing their patent applications as an increasing number of polymer and silicone suppliers withdrew from the market.

## 6.2 Substitution toward non-implant patents

We have shown that patenting in implant subclasses (treatment group) declined relative to patenting in non-implant subclasses (control group) after the 1990 increase in liability risk. An important caveat of our baseline analysis is that patenting in non-implant subclasses may also have been affected by the shift in liability risk. For example, a negative shock affecting implant subclasses may have induced some medical device firms to reduce their research efforts for both implant and non-implant technologies. In this case, our difference-in-differences analysis would underestimate the negative impact of liability risk on medical implant innovation. Alternatively, some medical device firms that patented in implant and non-implant subclasses may have responded to an increase in liability risk by shifting their research efforts from implant to non-implant technologies. This substitution effect deserves more attention in our context, because it may generate an increase in patenting in the control group that would lead us to overestimate the negative effect of liability risk on the treated technology classes. In other words, the observed decline in implant patenting may not indicate an overall decline in innovation.

In this section, we conduct a number of exercises to examine the extent to which the effect of liability

risk spills over to the control group. First, we identify the patentees that patented in both implant and non-implant subclasses during our sample period. We find that about seven percent of the assignees in our sample patented in both treatment and control technology classes and that these assignees account for roughly 30 percent of the sample patents.

In column 1 of Table 3, we estimate the impact of the increase in liability risk in a sample that excludes patenting by assignees active in both the implant and non-implant subclasses. We find that, in this sample, implant subclasses experience a reduction of 0.46 patents a year, on average, relative to non-implant subclasses. The estimated coefficient is slightly smaller and not statistically different from the one estimated in the full sample, which suggests that within-firm substitution between implant and non-implant patenting is likely to be small and that there is a significant decline in overall innovation.<sup>14</sup>

As a second empirical exercise, we contrast patenting in implant patent subclasses with patenting in subclasses that include only pharmaceutical drug innovations and not medical device innovations.<sup>15</sup> The technological distance between implant and drug classes mitigates the concern that liability risk may spill over from the treated to the control subclasses. At the same time, this alternative control group is likely to respond to macro-shocks affecting the entire health sector. Column 2 of Table 3 estimates the effect of the increase in liability risk, exploiting this alternative control group. To address the concern that trends in patenting in drug subclasses may differ substantially from those in implant subclasses, in column 3, we match each implant subclass with one of the drug subclasses, minimizing differences in patenting pre-trends. Specifically, for each implant subclass,  $c$ , we identify the nearest neighbor drug subclass with the smallest distance from class  $c$  in terms of patenting in each year from 1985 to 1989. The estimates in columns 2 and 3 are similar to our baseline results. This finding, based on an alternative control group in which contamination concerns are less severe, provides additional support for the idea that the substitution effect is not the primary driver of our main result.

---

<sup>14</sup>The magnitude of the difference between the two coefficients provides an upper bound to the impact of the shift in patenting from implant to non-implant technologies by firms operating in both technology areas. Our estimates suggest that such substitution may account for, at most, 17 percent of the total effect estimated in the full sample.

<sup>15</sup>Specifically, we exploit USPTO patent class 424 “Drug, bio-affecting and body treating compositions.” The number of firms operating in both the treated and control fields is smaller than in our main sample (only 1.5 percent of the assignees).

### 6.3 Patents by foreign firms and triple-differences

In this section, we examine the impact of the increase in liability risk, distinguishing between patents by US and foreign firms. The purpose of this analysis is to address two empirical issues. First, as in Moser and Voena (2012), we employ patents by foreign firms to account for potential confounding factors that may influence the overall propensity to patent, such as technological or demand shocks affecting an entire technology field. Second, we use differences between foreign and US firms to isolate the mechanism described in our theoretical framework; that is, the negative impact on downstream innovation is caused mainly by upstream foreclosure rather than an increase in the risk perceived by downstream implant producers themselves.

In a detailed report illustrating the state of the medical implant industry, Aronoff (1995) explains that non-US implant producers were not as affected by DuPont's withdrawal as their competitors in the United States. The reason is that litigations against suppliers were US-based, and foreign firms had easier access to non-US material suppliers, such as Rhône-Poulenc in Europe. At the same time, the liability risk downstream firms faced was similar for foreign and US firms, as both were subject to the US product-liability laws when selling devices in the US market, but foreign suppliers considered sales to foreign producers less risky than sales to US implant producers (Aronoff, 1995).<sup>16</sup>

We base our identification of US versus foreign medical device innovators mainly on the country of patent assignees reported by the USPTO. Unfortunately, this methodology requires us to drop about 20 percent of the patents in our sample for which the USPTO assignee identifier is missing (unassigned patents). As an alternative, we show that results are similar when we classify patents using the information on the country of the inventor, which is available for all patents.<sup>17</sup>

Our first set of regressions is the baseline difference-in-differences analysis with patents by US firms in a subclass-year as the dependent variable. Patents by foreign firms serve as an additional explanatory

---

<sup>16</sup>This is likely due to the increase in complexity and legal costs involved, from the perspective of US litigants, in suing a foreign supplier as opposed to a US supplier. This is because international supply contracts involve performance obligations that engage the substantive laws of multiple jurisdictions, not only raising complex conflict of laws issues, but also potentially engaging courts of different jurisdictions.

<sup>17</sup>Almost all patents by US inventors that have assignee information (97 percent) are assigned to a US entity. About 85 percent of patents by foreign inventors that have assignee information are assigned to a foreign entity. Moreover, about six percent of the patents are assigned to a non-profit organization, such as a government entity, a hospital, or a university or research institute. The results are similar if we exclude non-profit organizations from the analysis.

variable that controls for unobservable factors affecting the overall innovation activity in each subclass (such as common technology or demand shocks and litigation’s direct impact on implant producers’ liability risk). Column 1 of Table 4 reports the results using the assignees’ country of origin to define US versus foreign patents. Consistent with our baseline result, we see that, relative to non-implant technologies, US implant patenting experienced a large and significant decline after 1990. In column 2 of Table 4, we show that this result is robust to using the inventor’s country of origin to categorize the patents. We also reestimate the time-specific treatment effects (equation 3) using only patents by US assignees as the dependent variable. The results, illustrated in panel B of Figure 2, appear to be sharper than those in panel A of Figure 2, which uses all patents. The estimated differences between implant and non-implant subclasses before the liability regime shift are all very small. They are not only statistically indistinguishable from the default year of 1989 but also indistinguishable from each other. The decline in implant patenting started in 1990 but became statistically significant only in 1991. The magnitude of the decline increased steadily until the end of the sample period.

The second set of regressions goes a step further and uses a triple-differences approach. Specifically, for each subclass-year, we generate two observations, one for patents with US assignees and the other with foreign assignees. Therefore, the total number of observations is twice as many as that in column 1 of Table 4. Column 3 reports the triple-differences results based on the assignees’ country of origin. The coefficient of the triple-interaction term (-0.344) is the differential effect of the increase in liability risk on implant patenting by US versus foreign firms. Specifically, after isolating the change experienced by foreign innovators, this estimate captures the decrease in implant patenting by US firms. Column 4 of Table 4 replicates column 3, using the inventor’s country of origin to categorize the patents, and the results are similar.<sup>18</sup>

To confirm that the increase in liability risk had a substantially lower impact on foreign inventors, we also examined a dataset of medical device patents by non-US firms granted by the German and French patent offices. Difference-in-differences regressions comparing implant and non-implant technol-

---

<sup>18</sup>We also run the triple-differences regressions including class-specific linear trends. Meer and West (2013) show that research designs incorporating time trends are prone to erroneously estimated null effects of policies when the effects are expected to unfold dynamically. Despite the potential downward bias, we find that the triple-difference estimates are robust and stable.

ogy classes show small and statistically insignificant effects, supporting the idea that the increase in liability risk affected mainly the innovation incentives of American patentees.<sup>19</sup>

Overall, these estimates show that higher liability risk significantly reduced patenting by US firms relative to foreign firms. This finding supports the idea that access to upstream suppliers was an important driver of downstream patenting, and that upstream foreclosure was a key mechanism through which liability risk affected innovation in our context (we discuss this mechanism in greater detail later in Section 8.3).

## 6.4 Additional robustness tests

Table 5 presents a variety of additional robustness tests to confirm our main finding. First, column 1 uses a continuum version of the model, in which the treatment variable is equal to zero before 1990 and to the fraction of implant patents of the subclass after 1990. Recall that the fraction of implant patents of a subclass is calculated using the data from 1975-2015 and, hence, is constant over time. The estimate confirms our baseline finding and shows that doubling the mean value of the fraction of implant devices in the subclass, from 0.2 to 0.4, reduces patenting in implant classes by about 0.12 patents per year after 1990.

For about five percent of the subclasses in our sample, we observe no patenting during the entire sample period of 1985-95. In column 2, we show that our result is robust to dropping these subclasses. In column 3, following Moser and Voena (2012), we show that our results are robust in an unbalanced panel that includes only subclasses-years for which we observe at least one patent in year  $t$  or in the years before  $t$ . This approach, which excludes subclasses with no patenting before year  $t$ , gives an estimate very similar to that in column 2.

Finally, in column 4, we reestimate our baseline, dropping two prominent patent subclasses: pacemakers and heart valves. These subclasses include complex technologies that experienced very large

---

<sup>19</sup>We exploit a textual algorithm similar to that described in Section 5 to identify patents related to implant technologies. We then classify detailed patent classes—based on the classification system used in Europe during our sample period—into treated and control groups according to the relative fraction of implant patents. The European patent data have a number of important limitations that restrict our ability to conduct further analysis. First, we have the title for each of the patents in the sample, but the abstracts are available for only half of our data, and we do not have the first claim of the patents. Second, for a substantial fraction of the sample, these textual fields are not in English and cannot be read by our algorithm.

growth in the 1990s and were associated with the most adverse events. Our estimates show that our results are robust (if anything, the effect is stronger) in this subsample.

Betrand et al. (2004) show that in the presence of serial correlation in the dependent variable, standard errors in difference-in-differences models may be underestimated, even with clustering. Following their suggestion, we confirmed the results of our baseline regressions with a block-bootstrapping estimation that maintains the autocorrelation structure within subclasses. The standard errors are essentially identical to those estimated with our baseline clustering procedure, indicating that serial correlation is not of significant concern in our setting (the results are not reported).

The USPTO subclass system follows a hierarchical nested structure in which subclasses are grouped into subclasses at higher indent levels. Our main analysis uses the most disaggregated level of classification and takes each subclass as a unique group without explicitly considering the hierarchical structure. The benefit of this approach is that it avoids imposing an arbitrary level of aggregation, given that indent levels across technical fields are not necessarily consistent (for example, indent level 2 in Prosthesis may not have the same level of technological detail as indent level 2 in Surgery). In appendix Table A2, we show that our baseline analysis is robust to using more-aggregate technology classifications. Specifically, building on the USPTO hierarchical structure, we rerun our analysis using 1,862 subclasses (aggregating associated ‘children’ subclasses, if applicable, up to indent level 3), 1,178 subclasses (up to indent level 2), and 459 subclasses (up to indent level 1). In all of these cases, we find a strong negative decline in implant relative to non-implant technologies.

## **6.5 Confirming the impact of liability on innovation with non-patent data**

To this point, we have used patents as our measure of innovation. To examine whether our finding of a negative impact of liability risk on innovation holds with non-patent measures of innovation, we use the medical-device application data from the U.S. Food and Drug Administration (FDA). The FDA has the primary authority to approve medical devices sold in the US. The regulatory requirement for approval differs in stringency levels, depending on the nature of the products.

We focus on devices that the FDA designates as class III. These are defined as devices used to support or sustain human life, devices of substantial importance in preventing impairment of human health, or

devices that present a potential, unreasonable risk of illness or injury. The FDA classifies each device with a specific product code, which identifies the generic category of the device. After excluding TMJ and breast implants, we have 304 unique product codes for class III devices between 1985 and 1995. For each product code, the FDA data also provide an “implant” flag indicating implant devices. About 37 percent of the 304 class III product codes for the sample period were for implant devices.

Column 1 of Table 6 reports our baseline regression result using this alternative data set. The unit of observation is the number of FDA applications in each product code-year. The estimate confirms (at the 0.1 level) a decline in implant-device commercialization after 1990, relative to non-implant devices. In column 2, we match each FDA implant code with a non-implant code, minimizing the differences in pre-trends. This matched control group generates a larger coefficient, which is now statistically significant at the 0.05 level. In column 3, we drop two outlier product codes that have the largest number of applications per year (pulse-generators and electrode components of pacemakers). Dropping these outliers reduces the magnitude of the coefficient but confirms the negative impact of liability risk on innovation. At the same time, removing these outliers reduces the residual variance of our dependent variable and helps sharpen the statistical precision of our estimate. Assuming the same difference between implant and non-implant product codes after 1990, the estimated effect of -0.141 in column 3 implies a 50-percent reduction in implant innovation.<sup>20</sup>

The FDA Medical Device Reporting Program (MDR) database provides reports on suspected device-associated deaths, serious injuries and malfunctions. Exploiting this information, we created a new variable, *MDR reports*, equal to the number of reports in year  $t$  for the device category. On average, there are 47.8 reports per year in a product code, but the distribution is quite skewed. The median number of reports in a year is zero and the 75th percentile is three. Column 4 shows that our results are robust to including this control variable that captures differences in liability risk across product codes. This finding provides additional support for the idea that implant innovation not only responded to the liability risk faced by downstream manufacturers, but it was also affected by the risk faced by upstream suppliers that led to market foreclosure.

---

<sup>20</sup>Recall that our estimated reduction in implant patenting is 36 percent. A coefficient of -0.094, rather than -0.14, would be equivalent to a 36-percent drop in FDA applications in our preferred specification (column 3 of Table 6). We cannot reject that the estimated -0.14 is different from -0.094 ( $p = 0.32$ ).

Overall, this analysis using product-based measures of innovation confirms our earlier conclusion from regressions based on patent data. It suggests that the relative decline in implant innovation took place in the early invention and the commercialization stages. The strength of the FDA data lies in the fact that they are more closely linked to the final products than the patent data are. Furthermore, the expenditure required to complete the FDA approval process can be substantial, which implies that the FDA data may provide a reasonable window on technologies of higher value. That said, these data are also subject to a number of limitations. First, the FDA often reclassifies devices over time. For example, both TMJ implants and breast implants were reclassified from class II to class III during our sample period. Such reclassification leads to new class-III device applications, which are, in fact, about existing rather than new devices. Second, relative to patenting, device applications take significantly longer to materialize, and there is evidence of strategic delays in the introduction of medical devices in the U.S. market relative to the European markets (Grennan and Town, 2015). Both of these issues may generate substantial measurement errors for new innovative activities and their timing. Finally, in Section 7, we will also examine the effect of liability risk on upstream innovation (polymers). Patenting data allow us to generate an innovation metric that is consistent across upstream and downstream technologies. This would not be possible with FDA data because they capture only downstream medical devices.

## 6.6 Heterogeneous effects

The preceding analysis shows that, on average, the liability risk affected patenting activity during our study period. In this section, we explore whether the impact of liability risk is heterogeneous and dependent on characteristics of innovators and technologies.

We first test whether liability risks are more important for small patentees than for large ones. For each assignee in our sample, we construct a patent portfolio equal to the number of medical device patent applications in the USPTO sample.<sup>21</sup> Because of the skewness in the distribution of patent portfolios, we allocate patentees into three groups. The first group (small patentees) includes patents assigned to assignees whose total number of patents ranges from one to four: this group covers 50.5% of the patents. The second group (medium patentees) includes assignees whose total number of patents

---

<sup>21</sup>We impute a portfolio of 1 to unassigned patents.

ranges from five to 40, which covers 24.2% of our sample patenting. The third group (large patentees) includes all assignees whose total patent counts exceeds 40, which covers the remaining 25.2% of the patents. In addition, we further examine the effect on patenting by the largest assignees in our sample, creating two additional groups: the ‘Top 16 assignees’ group covers roughly 10% of the patents, and ‘Top six assignees’ group covers roughly 5% of the patents.

Panel A of Table 7 estimates our baseline regression across these five groups of patentees. The coefficients are negative and statistically significant across all groups. Taking into consideration the average level of patenting across different groups, the effect ranges from -17.9 to -37.9 percent, all economically large. It is worthwhile noting that the effect is smaller for the six largest assignees than for the rest of the sample. This seems consistent with industry accounts, which suggest that the largest firms had the financial resources to provide contractual and insurance remedies to the remaining polymer suppliers. Moreover, they could have had easier access than smaller firms had to polymer suppliers outside the U.S.

Next, we explore whether liability risk had differential impact across patents of different quality. The welfare interpretation of the average decline in innovation would differ greatly according to whether or not it affected high-quality patents or marginal patents with limited impact. To unbundle the heterogeneous effects of the increase in liability risk across different quality levels, we exploit information on the citations received by each patent. The economics of innovation literature has often employed the number of citations that a patent receives as an indirect measure of patent value (Pakes and Griliches, 1980). Since citation counts are inherently truncated, and levels differ across technology areas, we filter citations by removing application-year and (two-digit) technology class effects. We then identify the (filtered) citation quintile to which each patent belongs. Panel B of Table 7 reports our baseline regressions using these quality-quintile subsamples.

The coefficients are also negative and statistically significant across all five quality quintiles. The magnitude of the effect appears to be the smallest for the intermediate-quality range. With a more restrictive input supply (and, hence, higher development and production costs), it is not surprising that R&D activities that are more likely to result in the lowest-value patents are terminated. Multiple factors may explain why we also observe a larger decline in patents of the highest values. For one, with

risk-averse innovators and ex-ante uncertainty in the value of innovation, a higher development cost may discourage the exploration of risky projects. This, in turn, may lead to a reduction in breakthrough innovations. This idea is consistent with the management literature on slack resources and innovation originated by Cyert and March (1963), as well as with studies on the welfare implications of lowering entry costs when quality is ex-ante unpredictable (Aguiar and Waldfogel, 2018). Furthermore, the findings in Galasso and Luo (2017) suggest that patents of intermediate quality are more likely to include technologies developed to mitigate liability risk. This may also help explain the smaller decline that we observe for these patents if input supply is relatively less restrictive for implants with lower liability risk profiles.

Overall, these results indicate that increased liability risk faced by implant innovators in 1990 had a broad impact: its effects spanned the entire medical device industry, as well as technologies' quality distribution.<sup>22</sup>

## 7 Upstream effect: liability risk and material innovation

We have documented a negative impact of the increase in liability risk on medical implant patenting. In this section, we examine the effect of this increase on 'upstream' innovation related to the polymers used as material inputs for inventing and manufacturing medical implants. Because the change in litigation risk around 1990 affected mainly the upstream suppliers, one might expect such a change to also have affected innovation incentives behind these basic technologies.

To explore this issue, we use an approach similar to the one we employed in the analysis of implant innovation in Section 6. We start with the sample of 229,446 chemical patents applied for during the period 1975-2015 and belonging to the NBER patent subcategories of resins and organic compounds. These patents span 8,988 unique USPTO subclasses. To identify the patents related to generic polymers employed in medical implants, we exploit the information provided in the transcription of the August 1, 1995 congressional hearing on the FDA Regulation of Medical Devices, in which various subcommittees

---

<sup>22</sup>We also examined whether the surge in liability risk had differential impacts across patents with different levels of originality (using the measure developed by Hall, Jaffe, and Trajtenberg, 2001). Also in this case, we found that patenting decreased across the entire originality distribution. This is consistent with industry accounts emphasizing the difficulty of identifying input replacements (Aronoff, 1995).

discussed the impact of breast and TMJ implant litigation on the medical device industry. Among the documents submitted for the record is a comprehensive list of the generic polymers used in medical implants and affected by the vertical foreclosure. These polymers include urethane, polyurethane, silicone and polyvinylchloride. We identify all the patents that refer to one of these materials in the patent’s title, abstract, or first claim, and we label them as “affected-polymer patents.” We then classify each of the 8,988 USPTO subclasses as an affected-polymer vs a control subclass, depending on whether at least 80 percent of the patents are identified as polymer patents involved in medical implants.

Table 8 examines the relationship between the increase in liability risk and polymer patenting. Column 1 shows a positive and statistically insignificant coefficient, suggesting that patenting in affected-polymer subclasses did not decline relative to control chemical subclasses after the Vitek bankruptcy. To remove the impact of differential pre-trends between affected-polymer and control subclasses, in column 2, we contrast patenting in affected-polymer subclasses with patenting in a matched control group of chemical sub-classes chosen to minimize pre-trend differences. The coefficient becomes smaller and remains statistically insignificant, confirming the finding of no effect on upstream innovation. Figure A2 illustrates the coefficient of a regression run on this sample, including separate dummies for each year before and after the change in liability risk (normalizing the coefficient for 1989 to zero). All coefficients are statistically insignificant and of small magnitudes, further corroborating our finding of no effect.

In columns 3 and 4 of Table 8, we examine whether the increase in liability risk affected DuPont’s patenting in affected polymers relative to its patenting in other chemical subclasses. DuPont was the main target for the TMJ implant litigation, and one may expect its innovation strategy to have been affected. We find no evidence of a decline in DuPont’s patenting in affected-polymer subclasses relative to other subclasses. As a robustness check, in appendix Table A3, we repeat the analysis with a less stringent definition of polymer subclass, moving the threshold of affected-polymer patents from 80 percent to 65 percent. We still find no evidence of a negative impact on upstream innovation.

Overall, our finding of no impact on upstream innovation is consistent with our theoretical model and suggests that suppliers’ innovation incentives were driven by the aggregate demand from multiple downstream markets.

## 8 Discussion and policy implications

Our main empirical finding is that the increase in liability risk triggered by Vitek’s 1990 bankruptcy is associated with a substantial reduction in implant innovation. The reduction appears to have occurred across firms of all sizes and technologies of all values, and it took place both at the invention and the commercialization stage. This section complements our analysis by (i) discussing the welfare implications of our findings; (ii) examining the response to a federal policy implemented to address the shortage of biomaterials; and (iii) providing additional support for the idea that restricted access to upstream suppliers was an important driver of the decline in downstream innovation.

### 8.1 Welfare impact: a back-of-the-envelope calculation

In this section, we discuss a back-of-the-envelope calculation of the likely impact on welfare due to the increase in liability risk. Details of this exercise are presented in Appendix 2.

A recent study by Grennan and Swanson (2017) provides estimates of the increase in total surplus, including both consumer surplus (physician, patient, and hospital combined) and producer gross profit, when physicians have access to an additional medical device. Their estimates include four prominent implant device categories for which we can obtain data on the number of procedures from the 1992 annual summary of the National Hospital Discharge Survey: pacemakers, cardiac catheters, knee prostheses, and hip prostheses. Given the estimated surplus per procedure and the volume data, we obtain the yearly surplus that would have been generated by an additional new product for each of the four implant categories.

We then combine these estimates with our estimated effect of liability risk on FDA applications for medical implants. Our preferred model (column 3 of Table 6) implies an average reduction of 0.14 FDA device applications per year per product code. Multiplying this average reduction by the total number of implant product codes yields an estimated reduction of 15.96 implant devices per year. Assuming that the drop is distributed across the implant categories in proportion to their respective levels of applications before the increase in liability risk, we obtain estimates for the yearly reduction in the number of applications for each of the four implant categories. Multiplying these estimated reductions

by the corresponding surplus generated by a new implant yields the loss in yearly surplus due to the increase in liability risk. The sum of the reductions in total surplus for all four categories—pacemakers, cardiac catheters, knee prostheses and hip prostheses—equals \$20.3B per year.

The above estimate is an upper bound because it assumes that each new device would have been available to all the physicians if it had been developed. Grennan and Swanson (2017) show that, for these four device categories, a typical product is in the consideration set for 56 to 91 percent of the hospitals. Adjusting for the penetration rate in each of the device categories, we obtain an estimated decline in total surplus equal to \$11.9B per year. If we use the lowest penetration rate documented by Grennan and Swanson (2017) across all Class-III devices for all four categories, which is 20 percent, the decline in total surplus is \$4.1B.

Grennan and Swanson (2017) also estimate how total surplus would be divided between consumer surplus and producer's gross profit. Building on these estimates, for the scenario in which device-specific penetration rates are used, the increase in liability risk generated a total loss in consumer welfare of \$10.6B per-year and a loss in producers' gross profit of \$1.2B per-year.<sup>23</sup>

These calculations are only illustrative and should not be over-interpreted. Because Grennan and Swanson (2017) estimate the welfare loss using prices negotiated between hospitals and medical device vendors, they do not explicitly consider patient and social welfare related to product malfunctions and tort litigation. Furthermore, by focusing on the drop in FDA applications, our computations do not consider potential welfare gains generated by the development of safer and risk-mitigating devices. Finally, Grennan and Swanson (2017) exploit data from 2009 to 2015, which is later than our sample period. On the one hand, new devices may have generated greater welfare in more-recent periods if technological progress accelerated over time. On the other hand, it is possible that the marginal gain from one additional device has declined over time as the total number of options available to physicians has increased. Nonetheless, these simple estimates suggest that the decline in innovation documented by our regressions had a non-trivial impact on consumer surplus and industry profits.

---

<sup>23</sup>For reference, one industry estimate suggests that the total sales of implant devices was \$43B in 2011 (Lind, 2017). Assuming that the share of revenues corresponds to the share of FDA application counts and that the average gross margin is 60 percent, an estimate of \$1.2B loss in producer profit for these four product categories would suggest that the increased liability risk resulted in about 5.3 percent of revenue loss.

## 8.2 Policy remedy: the 1998 Biomaterials Access Assurance Act

To restore the supply incentive of raw-material producers, the U.S. Congress passed the Biomaterial Access Assurance Act (BAAA) in August 1998. BAAA came about after a number of failed attempts to address the potential shortage of biomaterial supplies through federal product-liability reforms.<sup>24</sup> The main goal of the BAAA was to “*safeguard the availability of a wide variety of lifesaving and life-enhancing medical devices*” (U.S.C. §1601(15)). The Act provides liability exemption for the suppliers of bulk components and raw materials for implants, as long as they do not engage in the design, testing, and production of the implants. It is important to note that the BAAA is not a blanket legislation giving liability exemption to deep-pocketed defendants; instead, it protects suppliers not sufficiently involved in downstream production.<sup>25</sup> BAAA is one of few federal liability reforms, an area of legislation typically reserved for the states (Kerouac, 2001).<sup>26</sup>

Potential material-supplier plaintiffs may invoke the Act to request early dismissal from the court, avoiding the costly and lengthy litigation process. According to Czuba (2016), during the 18 years (at the time his article was published) since BAAA’s passage, it has been tested five times. The same article quotes Frederick Stearns of Keller and Heckman LLP: “*...in each case the Biomaterials Act was invoked and each was resolved in favor of the materials supplier. I see no reason to expect a different outcome in similar cases in the future.*”

Figure 3 plots the average patenting in implant and non-implant subclasses by US firms (based on the assignee’s country of origin) between 1985 and 2010. The raw data suggest that implant patenting started to recover shortly after 1998 (i.e., the growth rate for implant patents appeared greater than that for non-implant patents) and that four or five years later, it was restored to a level comparable to that of non-implant patents (i.e., the relative difference between implant and non-implant patents

---

<sup>24</sup>Bipartisan legislation was filibustered in September 1992 and again in June 1994. In March 1996, both the House and the Senate passed the Common Sense Product Liability and Legal Reform Act, which President Clinton vetoed on May 2, 1996 (House of Representatives, 1997).

<sup>25</sup>The rationale of the BAAA is similar to that underlying common-law protection for suppliers: imposing liability on raw-material suppliers would require them to retain expertise in a large variety of areas in order to determine the possible risks associated with each potential use. In contrast, finished-product manufacturers know what they intend to do and, therefore, are in a better position to guarantee that the material is suitable for their particular applications.

<sup>26</sup>Examples of such federal policies include the General Aviation Revitalization Act of 1994, which exempts makers of small aircraft from liability for planes after 18 years; and the National Childhood Vaccine Injury Act of 1986, which limits liability for drug companies and creates a no-fault compensation system for those injured by vaccines.

became the same as that before 1990).

We extended our baseline difference-in-differences regression results to include both shifts in the liability risk: the first increased the liability risk faced by upstream suppliers following Vitek’s bankruptcy in 1990; and the second reduced the risk to a low level, following the passage of the BAAA in 1998. This regression uses only patents assigned to US firms. The (unreported) results show that, relative to the default years (before 1990), implant patenting decreased significantly between 1990 and 1998 (confirming our main result), and it recovered after the BAAA (the coefficient is slightly positive and not statistically different from the default years before 1990). The coefficients of the two interaction terms are statistically different from each other at the ten-percent level (p-value = 0.086).

Although these empirical patterns are only suggestive, they are consistent with the federal exemption law helping to restore the pace of implant innovation. As discussed previously, common law does provide protection for component and material suppliers, and these provisions were in place throughout our entire sample period. Our finding is consistent with the idea that additional ex-ante regulation can encourage innovation investment by mitigating the uncertainty over the litigation process (Kaplow, 1992; Galasso and Schankerman, 2010).<sup>27</sup>

Finally, it is important to note that, in addition to seeking a change in the law, the industry also took other measures to address the shortage of material suppliers. Medical device firms reallocated resources to identifying alternative supply sources or substitute materials, and they also provided stronger indemnification contracts and liability insurance to ensure suppliers of minimal liability risk and faster monetary recovery for suppliers. These measures might also have contributed to the recovery of implant patenting.

---

<sup>27</sup>As mentioned in Section 3, TMJ and breast implants were classified as Class-II devices at the time of the litigations. One might argue that if they had been Class-III devices, federal pre-emption under the Medical Device Amendments (MDA) of 1976 would have provided greater protection to manufacturers and suppliers. It is unclear to us whether this is true. During our sample period, the exact scope of federal preemption of the MDA was unclear. In *Medtronic Inc. v. Lohr* (1996), the Supreme Court denied preemption for a number of claims related to a Class-III device marketed under 510(k), and legal uncertainty about federal preemption persisted until *Riegel v. Medtronic, Inc.* (2008). Consistent with this lack of clarity, historical documents and our interviews with industry insiders also suggest that polymer suppliers at the time were concerned about potential liability risk related to devices such as pacemakers and heart valves, which were classified as Class-III at the time. This is not to say that, more generally, centralized regulatory systems—such as the FDA for drugs and high-risk medical devices and the National Highway Traffic Safety Administration for vehicles—cannot play an important role in mitigating uncertainty over liability risk. But an examination of these issues is outside the scope of our paper.

### 8.3 Access to upstream inputs or downstream liability risk?

Our interpretation of the empirical findings has been guided by a theoretical model in which liability risk induces an upstream supplier to foreclose a risky downstream market. Our theory does not consider the direct impact that liability risk may have on downstream firms. Nonetheless, in our empirical context, it is reasonable to expect that failures in TMJ and silicone breast implants may have led to an overall increase in the liability risk perceived by implant producers or to a drop in demand for implants by patients in discretionary medical procedures. Both of these downstream channels may have generated a decline in innovation activity. To empirically disentangle the upstream and downstream effects of liability risk on innovation is challenging and requires structural modeling assumptions on the R&D responses along the vertical structure. This leads to the concern that our estimates may be driven predominantly by the litigation risk or by the decline in demand faced by downstream firms and not by vertical foreclosure. In this subsection, to address this concern, we discuss a body of evidence supporting the idea that market foreclosure driven by upstream suppliers' concern over liability risk was the key mechanism behind the decline in innovation.

First, all industry reports and congressional hearings describing the status of the medical implant industry after Vitek's bankruptcy reflect concerns over vertical foreclosure and upstream liability risk rather than over downstream litigation or decline in demand. The downstream medical device manufacturer themselves appeared more concerned by the lack of suppliers than by other potential downstream channels. For example, in her 1994 Congressional testimony, Eleanor Gackstatter, President and COO of Meadox Medicals, asked "*When supplies are vanishing, how can we choose to provide R&D supplies for future innovative products when the surgeon needs our products to save a life today?*" In the same congressional hearing, Paul Citron, VP for Science and Technology at Medtronic, testified that a "*remedy must be found which will provide the protection necessary to assure that suppliers will continue to provide materials to manufacturers. Unless such a remedy is put in place, we will experience inexorable declines in medical device innovation.*"

Second, it is important to note that our empirical analysis does not rely on changes in patenting in TMJ and silicone breast implants subclasses. These were the fields in which most implant failures and

downstream litigation were concentrated, and they are dropped from our analysis. In column 4 of Table 5, we go a step further and confirm our results, dropping two additional prominent patent subclasses—pacemakers and heart valves—which were also associated with the highest numbers of adverse events. Moreover, in Section 6.5 we showed that our results are robust to including a control variable that captures differences in liability risk across FDA product codes. Overall, these findings support the idea that the decline in implant innovation was not driven by the downstream fields in which liability risk was the greatest.

Third, the triple-differences results presented in Section 6.3 showed that higher liability risk significantly reduced patenting by US firms relative to foreign innovators, which were less affected by vertical foreclosure. This differential effect provides additional support for the mechanism described in our theoretical model.

Finally, as we discussed in Section 8.2, implant patenting did recover following the implementation of the BAAA, which reduced upstream suppliers' liability risk. We also conducted a triple-differences regression analysis to estimate the differential response of foreign and US innovation after the BAAA. The (unreported) estimates suggest a stronger policy response for US innovators and show that implant patenting by US producers reached a level comparable to that before 1990 once the BAAA was implemented. This is consistent with our theoretical model and points to the importance of vertical foreclosure driven by upstream liability risk.

## 9 Conclusions

In this paper, we examine the relationship between product liability and innovation, taking advantage of a quasi-exogenous surge in liability risk that affected the medical implant industry in the early 1990s. Our empirical analysis illustrates a decline in medical implant patenting relative to patenting of other medical devices, on the order of 36 percent. We show that the decline in innovation was concentrated among downstream implant innovators, even if the liability litigation targeted mainly upstream suppliers of polymers. Taken together, our findings indicate that liability risk led to vertical foreclosure, which, in turn, negatively affected downstream innovation.

An implication of our analysis is that product liabilities may have a substantial impact on innovation when they affect suppliers of general purpose inputs and technologies. Large ‘deep-pocket’ upstream firms serving many downstream sectors may prefer to foreclose market segments in which liability risk is the greatest, rather than facing the risk of litigation. In these environments, liability risk percolates through an industry’s vertical structure and may affect the innovation incentives of firms not directly targeted by litigation.

Our analysis of the BAAA is only illustrative and does not allow us to make causal inferences. Nonetheless, the patenting patterns that we document suggest that policy remedies that reduce uncertainty and protect input suppliers from excessive liability risk may have a positive impact on R&D investments. This insight may be particularly valuable for regulators evaluating the role of a country’s liability systems in its competitiveness, especially in emerging fields such as artificial intelligence and sophisticated robotics and their various applications (Agrawal, Gans and Goldfarb, 2018).<sup>28</sup>

More broadly, our paper shows that tort liability policies may have dynamic effects on innovation incentives (Finkelstein, 2004). The sharp contrast between our findings and the positive average estimates in previous studies (Viscusi and Moore, 1993; Galasso and Luo, 2017) shows that the link between liability and innovation is complex and dependent on the context, and that more research on these issues is warranted.

## References

- [1] Acemoglu, Daron, David Cutler, Amy Finkelstein, and Joshua Linn (2006) “Did Medicare Induce Pharmaceutical Innovation?,” *American Economic Review* 96: 103-107.
- [2] Aghion, Philippe, Antoine Dechezleprêtre, David Hemous, Ralf Martin, and John Van Reenen (2016) “Carbon taxes, path dependency, and directed technical change: Evidence from the auto industry,” *Journal of Political Economy* 124: 1-51.

---

<sup>28</sup>See Galasso and Luo (2018) for a discussion of the economic issues related to the product-liability regime and innovations in artificial intelligence; Marchant and Lindor (2012) and Hubbard (2015) and the references within for details of tort law and an exploration of their applications to autonomous vehicles and sophisticated robots.

- [3] Aguiar Luis and Joel Waldfogel (2018) “Quality Predictability and the Welfare Benefits from New Products: Evidence from the Digitization of Recorded Music,” *Journal of Political Economy*, forthcoming.
- [4] Agrawal, Ajay, Joshua Gans, and Avi Goldfarb (2018) *Prediction Machines: The Simple Economics of Artificial Intelligence*, Harvard Business School Press.
- [5] Aronoff, Marvin (1995) “Market study: biomaterials supply for permanent medical implants,” *Journal of Biomaterials Applications* 9: 205-260.
- [6] Avraham, Ronen and Max Schanzenbach (2015) “The impact of tort reform on intensity of treatment: Evidence from heart patients,” *Journal of Health Economics* 39: 273-288.
- [7] Baker, Frederick D. (1995) “Effects of Products Liability on Bulk Suppliers of Biomaterials,” *Food and Drug Law Journal* 50: 455.
- [8] Bertrand, Marianne, Esther Duflo and Sendhil Mullainathan (2004) “How Much Should We Trust Differences-In-Differences Estimates?” *Quarterly Journal of Economics* 119: 249–275
- [9] Blundell, Richard, Rachel Griffith, and John Van Reenen (1999) “Market share, market value and innovation in a panel of British manufacturing firms,” *Review of Economic Studies*, 66: 529-554.
- [10] Cohen, Lauren, Umit G. Gurun, and Scott Duke Kominers (2016) “The growing problem of patent trolling,” *Science* 352.6285: 521-522.
- [11] Currie, Janet and Bentley MacLeod (2008) “First Do No Harm? Tort Reform and Birth Outcomes,” *Quarterly Journal of Economics* 123: 795-830.
- [12] Cyert, Richard and James March (1963), *A behavioral theory of the firm*, Englewood Cliffs, NJ.
- [13] Czuba, Len (2016) “Playing Hard-To-Get: Plastics For Long-Term Implantation,” *Med Device Online* January 6, 2016.
- [14] Davis, Joseph (2003) “Overview of biomaterials and their use in medical devices,” in *Handbook of materials for medical devices*, ASM International, Ohio.


- [15] Feder, Barnaby (1994) “Implant Industry Is Facing Cutback by Top Suppliers,” *New York Times*, April 25.
- [16] Finkelstein, Amy (2004) “Static and dynamic effects of health policy: Evidence from the vaccine industry,” *Quarterly Journal of Economics* 119: 527-564.
- [17] Frakes, Michael (2013) “The Impact of Medical Liability Standards on Regional Variations in Physician Behavior: Evidence from the Adoption of National-Standard Rules,” *American Economic Review* 103: 257-276.
- [18] Frakes, Michael and Anupam Jena (2016) “Does Medical Malpractice Law Improve Health Care Quality?,” *Journal of Public Economics* 143: 142-158.
- [19] Galasso, Alberto and Hong Luo (2017) “Tort Reform and Innovation,” *Journal of Law and Economics* 60: 385-412.
- [20] Galasso, Alberto, and Hong Luo (2018) “Punishing Robots: Issues in the Economics of Tort Liability and Innovation in Artificial Intelligence,” in *Economics of Artificial Intelligence*. University of Chicago Press.
- [21] Galasso, Alberto and Mark Schankerman (2010) “Patent Thickets, Courts and the Market for Innovation,” *RAND Journal of Economics* 41: 472-503.
- [22] Grennan, Matthew and Ashley Swanson (2017) “Quantifying the Sources of Price Dispersion: Evidence from Hospital Supplies,” working paper.
- [23] Grennan, Matthew and Robert Town (2015) “Regulating Innovation with Uncertain Quality: Information, Risk, and Access in Medical Devices,” working paper.
- [24] Hall, Bronwyn, Adam Jaffe, and Manuel Trajtenberg (2001) “The NBER patent citation data file: Lessons, insights and methodological tools,” National Bureau of Economic Research working paper 8498.

- [25] Hausman, Jerry, Bronwyn Hall, and Zvi Griliches (1984) “Econometric Models for Count Data with an Application to the Patents-R&D Relationship,” *Econometrica* 52: 909-938.
- [26] Hay, B., and Spier, K. E. (2005) “Manufacturer liability for harms caused by consumers to others,” *American Economic Review* 95: 1700-1711.
- [27] Helland, Eric, Darius Lakdawalla, Anup Malani, and Seth Seabury (2018) “Unintended Consequences of Products Liability: Evidence from the Pharmaceutical Market,” National Bureau of Economic Research working paper 20005.
- [28] House of Representatives (1997) *Subcommittee on Commercial And Administrative Law*, June 12 1997.
- [29] Hubbard, F. (2015) “Allocating the risk of physical injury from ‘sophisticated robots’: efficiency, fairness, and innovation,” in *Robot Law*, edited by R. Calo, A. Froomkin, and I. Kerr, Edward Elgar Publishing.
- [30] Huber, Peter (1989) *Liability: The Legal Revolution and Its Consequences*, Basic Books, New York.
- [31] Huber, P. and Litan, R. (editors) (1991) *The Liability Maze: The Impact of Liability Law on Safety and Innovation*, The Brookings Institution.
- [32] Hunziker, J. and Jones, T. (editors) (1994) *Product Liability and Innovation: Managing Risk in an Uncertain Environment*, National Academy of Engineering, National Academy Press, Washington, D.C.
- [33] Jaffe, Adam and Karen Palmer (1997) “Environmental Regulation And Innovation: A Panel Data Study,” *Review of Economics and Statistics* 79: 610-619
- [34] Lind, Keith (2017) “Understanding the market for implantable medical devices,” *AARP Insights*, August, 1-15.
- [35] Kaplow, Louis (1992) “Rules Versus Standards: An Economic Analysis,” *Duke Law Journal* 42: 557-629.

- [36] Kerouac, James (2001) “A Critical Analysis of the Biomaterials Access Assurance Act of 1998 as Federal Tort Reform Policy,” *Boston University Journal of Science and Technology Law* 7: 327-371.
- [37] Kessler, Daniel and Mark McClellan (1996) “Do Doctors Practice Defensive Medicine?,” *Quarterly Journal of Economics* 111: 353-390.
- [38] Marchant, G. and Lindor, R. (2012) “The Coming Collision Between Autonomous Vehicles and the Liability System,” *Santa Clara Law Review* 52: 1321-1340.
- [39] Moser, Petra, and Alessandra Voena (2012) “Compulsory licensing: Evidence from the trading with the enemy act,” *American Economic Review* 102: 396-427.
- [40] Pakes, Ariel, and Zvi Griliches (1980) “Patents and R&D at the firm level: A first report,” *Economics Letters* 5: 377-381.
- [41] Parchomovsky, Gideon and Alex Stein (2008) “Torts and Innovation,” *Michigan Law Review* 107: 285-315.
- [42] Porter, Michael (1990) *The competitive advantage of nations*, Free Press, New York.
- [43] Priest, George (2011) “The Effects of Modern Tort Law on Innovation and Economic Growth,” in *Rules for Growth*, the Kauffman Task Force on Law, Innovation, and Growth.
- [44] Rey, Patrick, and Jean Tirole (2007) “A primer on foreclosure,” *Handbook of industrial organization* 3: 2145-2220.
- [45] Robinson, Joan (1933) *The Economics of Imperfect Competition*, London McMillan.
- [46] Schmucki, Ross (1999) “Final Status Report on History of TMJ Litigation,” DuPont, unpublished communication.
- [47] Service, Robert (1994) “Liability Concerns Threaten Medical Implant Research,” *Science* 266: 726-727.
- [48] Shurtz, Ity (2014) “Malpractice Law, Physicians’ Financial Incentives, and Medical Treatment: How Do They Interact?,” *Journal of Law and Economics* 57: 1-29.

- [49] Spier, Kathryn E. (2007) "Litigation," in *Handbook of law and economics*: 259-342.
- [50] Spier, Kathryn E., and Alan O. Sykes (1995) "Capital structure, priority rules, and the settlement of civil claims," *International Review of Law and Economics* 18: 187-200.
- [51] Tirole, Jean (1988) *The theory of industrial organization*, MIT press.
- [52] Viscusi, Kip and Michael Moore (1993) "Product liability, research and development, and innovation," *Journal of Political Economy* 101: 161-184.


Figure 1. Patenting over time




Average number of patent applications over all implant and non-implant subclasses for a given year. Implant = 1 if at least 80 percent of the patents in the subclass are implant patents.

Figure 2. Estimated annual treatment effects

a. Total patenting




b. Patenting by US firms



Both regressions correspond to equation (3) in the paper, controlling for subclass and year fixed effects. (a) uses all medical device patents in 1985-1995; (b) uses patents by US assignees in 1985-1995. The figures plot the coefficients (and 95% confidence intervals) of the interaction terms between year dummies and the implant class dummy, which equals one if at least 80 percent of all the patents in the subclass are implant patents.

Figure 3. Patenting by US firms over time, extended to 2010



Average number of patent applications by US assignees over all implant and non-implant subclasses for a given year. Implant = 1 if at least 80 percent of all the patents in the subclass are implant patents.

---

**Table 1. Summary statistics**

	Obs.	Mean	Std. Dev.	Min	Max
Patents	29656	1.570	3.340	0	102
Year	29656	1990	3.160	1985	1995
Implant	29656	0.103	0.304	0	1

---

Patents = the number of patent applications in a subclass-year. Implant = 1 if at least 80 percent of all the patents in a subclass are implant patents.

---

**Table 2. Liability risk and implant innovation**

---

	(1)	(2)	(3)	(4)	(5)
Dependent variable	Patents	Patents	Patents	Patents	Patents
Implant x After 1990	-1.079*** (0.062)	-0.557*** (0.084)	-0.350*** (0.097)	-0.558*** (0.105)	-0.302*** (0.085)
Year effects	YES	YES	YES	YES	YES
Subclass effects	NO	YES	YES	YES	YES
Drop mixed subclasses	NO	NO	NO	NO	YES
Cut-off for implant subclass	0.8	0.8	0.5	0.9	0.8
Observations	29656	29656	29656	29656	17820

---

OLS regressions with robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Patents = the number of patent applications in a subclass-year. Implant = 1 if the fraction of implant patents in a subclass exceeds the specified cut-off. Column 5 drops patent subclasses with the fraction of implants between 0.02 and 0.8.

---

**Table 3. Testing for substitution effects**

---

	(1)	(2)	(3)
Dependent variable	Patents	Patents	Patents
Implant x After 1990	-0.464*** (0.052)	-0.412*** (0.054)	-0.570*** (0.164)
Year effects	YES	YES	YES
Subclass effects	YES	YES	YES
Observations	29656	39391	6138
Sample	drop assignees that patent in both implant and non-implant subclasses	implant and drug subclasses	implant and matched drug subclasses

---

OLS regression with robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Patents = the number of patent applications in a subclass-year. Implant = 1 if at least 80 percent of all the patents in a subclass are implant patents.

**Table 4: Patents by foreign firms and triple differences**

	(1)	(2)	(3)	(4)
Dependent variable	Patents by US firms	Patents by US firms	Patents	Patents
Implant x After 1990	-0.334*** (0.046)	-0.393*** (0.056)	-0.106*** (0.031)	-0.068*** (0.026)
Implant x After 1990 X US firms			-0.344*** (0.060)	-0.305*** (0.051)
Patents by foreign firms	0.716*** (0.086)	0.812*** (0.099)		
US firms			0.454*** (0.024)	0.261*** (0.017)
After 1990 X US firms			0.567*** (0.038)	0.485*** (0.031)
Implant X US firms			-0.331*** (0.047)	-0.199*** (0.037)
Year effects	YES	YES	YES	YES
Subclass effects	YES	YES	YES	YES
Country status defined by	assignees	inventors	assignees	inventors
Observations	29656	29656	59312	59312

OLS regression with robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. The dependent variables in columns (1) and (2) are the number of patent applications by US firms in a subclass-year, with the former based on the country of origin of the patent's assignee and the latter on the country of the patent's first inventor. Correspondingly, these two columns control for the number of patent applications by foreign firms based on the country of origin of the assignee and the inventor, respectively. In columns (3) and (4), the sample includes two observations, one for US firms and the other for foreign firms, for each subclass-year. US firms = 1 if the observation relates to patenting by US firms. Implant = 1 if at least 80 percent of all the patents in a subclass are implant patents.

---

**Table 5. Robustness of baseline regression**

---

	(1)	(2)	(3)	(4)
Dependent variable	Patents	Patents	Patents	Patents
Implant fraction X After 1990	-0.610*** (0.091)			
Implant class x After 1990		-0.586*** (0.090)	-0.635*** (0.095)	-1.011*** (0.184)
Year effects	YES	YES	YES	YES
Subclass effects	YES	YES	YES	YES
Drop observations	NO	Subclasses with no patents	Subclasses with no patents and years before first patent	Pacemakers and heart valves
Observations	29656	27753	26749	14706

---

OLS regressions with robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Patents = the number of patent applications in a subclass-year. Implant = 1 if the fraction of implant patents in the subclass exceeds 0.8. Column 2 drops subclasses with no patenting during our sample period. Column 3 exploits an unbalanced panel in which a subclass enters the sample in the first year of positive patenting. Column 4 drops subclasses involving pacemakers and heart valves.

---

**Table 6. Liability risk and FDA applications**

---

	(1)	(2)	(3)	(4)
Dependent variable	Applications	Applications	Applications	Applications
Implant x After 1990	-0.394* (0.236)	-0.469** (0.236)	-0.142*** (0.048)	-0.144*** (0.048)
MDR reports				0.012*** (0.003)
Year effects	YES	YES	YES	YES
Product code effects	YES	YES	YES	YES
Matched Control	NO	YES	YES	YES
Drop outliers	NO	NO	YES	YES
Observations	3344	2486	2464	2464

---

OLS regressions with robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Applications = the number of FDA applications in a product code-year. Implant = 1 if the FDA identifies the product code as an implant. MDR reports = the number of device-associated reports of deaths, serious injuries, and malfunctions. Column 2 exploits a matched control group that minimizes pre-trend differences. Column 3 drops two outlier product codes.

**Table 7. Heterogeneous effects**

	(1)	(2)	(3)	(4)	(5)
<b>Panel A. Firm size</b>					
Dependent variable	Patents	Patents	Patents	Patents	Patents
Firm size	Small	Medium	Large	Top 16	Top 6
Percent of patents	50%	25%	25%	10%	5%
Implant x After 1990	-0.170*** (0.039)	-0.113*** (0.021)	-0.150*** (0.027)	-0.046*** (0.010)	-0.015** (0.006)
Sample mean	0.795	0.382	0.396	0.166	0.084
Observations	29656	29656	29656	29656	29656
<b>Panel B. Citation quintiles</b>					
Dependent variable	Patents	Patents	Patents	Patents	Patents
Quintile	Q1 (lowest)	Q2	Q3	Q4	Q5 (highest)
Implant x After 1990	-0.099*** (0.022)	-0.095*** (0.015)	-0.050*** (0.019)	-0.035* (0.020)	-0.075*** (0.026)
Sample mean	0.314	0.314	0.314	0.314	0.314
Observations	29656	29656	29656	29656	29656

OLS regressions with robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Patents = the number of patent applications in a subclass-year. Implant = 1 if the fraction of implant patents in the subclass exceeds 0.8. In (a), small patentees if portfolio has less than five patents; medium if portfolio has five to 40; and large if portfolio size is above 40. Top 16 includes the largest 16 assignees in the sample, and Top 6 includes the six largest assignees. In (b), each column includes only patents of a specific citation quartile (filtered by application year and technology class).

---

**Table 8. Impact on polymer patenting**

---

	(1)	(2)	(3)	(4)
Dependent variable	Patents	Patents	DuPont's patents	DuPont's patents
Affected-polymer class x After 1990	0.204 (0.151)	0.092 (0.207)	-0.002 (0.022)	-0.025 (0.026)
Year effects	YES	YES	YES	YES
Subclass effects	YES	YES	YES	YES
Matched control	NO	YES	NO	YES
Observations	98868	3124	98868	3124

---

OLS regressions with robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Patents = the number of patent applications in a subclass-year. Affected-polymer class = 1 if the fraction of affected-polymer patents exceeds 0.8. The sample for columns (1) and (2) includes all subclasses related to resins and organic compounds.; and the sample for columns (3) and (4) includes only DuPont's patents. Columns (2) and (4) exploit a matched control group that minimizes pre-trend differences.

How does product liability risk affect innovation? Evidence  
from medical implants

APPENDIX

Alberto Galasso  
University of Toronto and NBER

Hong Luo  
Harvard Business School

July 2, 2018

## 1 Appendix 1: DuPont's revised supply policy

Below, we report the January 15, 1993 letter that DuPont sent to its customers describing the change in its supply policy regarding implant manufacturers. The source of this letter is the May 20, 1994 hearing before the Subcommittee on Regulation and Government Information of the Committee on Governmental Affairs of the US Senate.

*Dear (Customer's Name):*

*This communication affects only those customers who use DuPont materials in implantable medical devices.*

*Recently DuPont has determined that unpredictable and excessive costs of doing business with manufacturers of implantable medical devices no longer justifies unrestricted sale of standard raw materials to such manufacturers at customary prices. Our new Policy and Caution Statement regarding these sales are attached. Under DuPont's new Policy there is a very strong presumption against sales to customers making permanent implants.*

*Therefore, as of January 15, 1993, DuPont will begin to phase out sale of materials to customers using our materials in medical articles intended for permanent implantation in the human body or in permanent contact with internal body fluids or tissues. We intend to complete this phase out as soon as possible, but no later than January 31, 1994.*

*To allow our customers time to locate alternate suppliers of materials, or alternate materials, during this phase out period we will honor our existing customer/supplier relationships. Also, effective immediately Du Pont will restrict sales of materials to companies who use those materials in medical articles intended for brief or temporary implantation in the human body or in contact with internal body fluids or tissues. DuPont will not supply the material to customers making temporary implants, unless the material comes directly from DuPont under a contract which expressly acknowledges the contemplated use and contains specific business risk management requirements.*

*Permission to refer to material Master Files will be withdrawn, and given only to direct customers who are purchasing material from DuPont under contract. We intend to complete transition to this type of supplier/customer relationship as soon as possible, but no later than January 31, 1994.*

*Unless expressly agreed by contract, do not make reference to the Du Pont name or any DuPont trademark in association with any implantable medical device. Do not use a DuPont trademark as the descriptive name of an implantable medical device. A copy of DuPont's Policy and Caution are attached. We sincerely regret any inconvenience this may cause you. If you have any questions, please contact me at (xxx-xxx-xxxx).*

*Sincerely.*

## **Appendix 2: Back-of-the-envelope welfare calculation**

This Appendix explains in greater detail the welfare calculation conducted in Section 8.1. The calculation follows four steps.

In step 1, we obtain the total surplus that would have been generated from having one new device. This number is the product of the total number of procedures involving each of the four device types used in the analysis—which are obtained from the 1992 annual summary of the National Hospital Discharge Survey—and the increase in total surplus per procedure when physicians have access to a new medical device, estimated by Grennan and Swanson (2017). Note that the increase in total surplus is the sum of the increase in consumer surplus (physician, patient, and hospital combined) and producer gross profit (price minus marginal cost). For example, for hip replacement, the total estimated increase in surplus is  $\$7,233 + \$932 = \$8,165$  per procedure. The number of procedures in 1992 for hip replacement (ICD-9 code 81.51 in Table 22) was 127K. Thus, the increase in total surplus is \$1.03B per year for hip replacement. This number for knee replacements, pacemakers, and cardiac catheterization are, respectively, \$3.9B, \$2.6B, and \$4.2B.

In step 2, we derive the reduction in the total number of devices per year based on our estimates. Our preferred model (column 3 of Table 6) implies an average reduction of 0.14 FDA device applications per year for implant product codes relative to non-implant codes. Multiplying this average effect by the number of product codes involving medical implants (107 codes), we obtain an estimated reduction of 15.96 implant devices per year.


In step 3, we obtain the drop in the number of new devices associated with the four specific implant types. Assuming that the drop in applications is distributed across categories in proportion to the level of applications before the increase in liability risk (that is, between 1985-1989), the yearly reductions in the number of applications are, respectively, 4.2, 0.1, 0.4, and 3.4 for hip implants, knee implants, pacemakers, and catheters.

In step 4, multiplying the above numbers of yearly reductions in applications by the increase in total surplus per new device per year yields the estimated reduction in total surplus due to the increase in liability risk. The welfare loss for these four device types, in total, is \$20.3B. Grennan and Swanson (2017) show that for these four device categories, a typical product is in the consideration set of 56 percent to 91 percent of hospitals. Taking these penetration rates into account, the decline in the total surplus for these four implant categories combined is \$11.9B per year.

Note that Grennan and Swanson (2017) provide estimates of the splits of the total surplus between consumers surplus and producer gross profit for each device category. Repeating the above four steps using each of the two components in Step 1 would provide us with an estimate of the loss in consumer surplus and the loss in producer gross profits separately.


**Figure A1. TMJ Lawsuits involving DuPont and medical implants media mentions**

**a. Number of TMJ lawsuits with DuPont among the defendants**




Source: Bloomberg Law

**b. Media mentions of medical implants**



Source: Factiva (Dow Jones), textual searchers use keywords 'implant,' 'DuPont,' 'jaw,' and 'breast.'

Figure A2. Estimated year effects for upstream innovation



The regression is similar to equation (3) in the paper, using all patents related to resin and organic compounds in 1985-1995 and controlling for subclass and year fixed effects. The figure plots the coefficients (and 95% confidence intervals) of the interaction terms between year dummies and the affected-polymer class dummy, which equals one if at least 80 percent of all the patents in the subclass are affected-polymer patents.

**Table A1. Alternative econometric models**

	(1)	(2)	(3)	(4)	(5)
Dependent variable	Patents	log(patents+1)	Citations	Patents	Patents
Model	Weighted OLS	OLS	OLS	Poisson	Poisson - Mean scaling estimator
Implant x After 1990	-0.729*** (0.151)	-0.078*** (0.012)	-30.896*** (10.303)	-0.161** (0.073)	-0.313*** (0.046)
Year effects	YES	YES	YES	YES	YES
Subclass effects	YES	YES	YES	YES	NO
Observations	29656	29656	29656	27753	29656

Robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Patents = the number of patent applications in a subclass-year. Implant = 1 if the fraction of implant patents in a subclass exceeds 0.8. In column 1, weights are equal to the logarithm of the pre-sample patenting (period 72-82). Column 2 includes a dummy for subclasses-years with no patenting. Column 5 includes the log of pre-sample patenting as control.

---

**Table A2. Aggregation of patent subclasses**

---

	(1)	(2)	(3)
Dependent variable	Patents	Patents	Patents
Aggregated subclasses	1862	1178	459
Implant x After 1990	-0.667*** (0.17)	-1.279*** (0.39)	-3.369*** (1.24)
Year effects	YES	YES	YES
Subclass effects	YES	YES	YES
Observations	20482	12958	5049

---

Robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Patents = the number of patent applications in an (aggregated) subclass-year. Implant =1 if the fraction of implant patents in an aggregated subclass exceeds 0.8.

---

**Table A3. Additional robustness of upstream effect**

---

	(1)	(2)	(3)	(4)
Dependent variable	Patents	Patents	DuPont's patents	DuPont's patents
Affected-polymer class x After 1990	0.056 (0.161)		-0.004 (0.023)	
Affected-polymer class x After 1992		0.104 (0.243)		-0.035 (0.027)
Year effects	YES	YES	YES	YES
Subclass effects	YES	YES	YES	YES
Matched control	NO	YES	NO	YES
Cut-off for polymer class	0.65	0.08	0.65	0.08
Observations	10120	3124	10120	3124

---

OLS regressions with robust standard errors clustered at the subclass level. \* significant at 10 percent, \*\* significant at 5 percent and \*\*\* significant at 1 percent. Patents = the number of patent applications in a subclass-year. Affected-polymer class = 1 if the fraction of affected-polymer patents exceeds 0.8. The sample for columns (1) and (2) includes all subclasses related to resins and organic compounds.; and the sample for columns (3) and (4) includes only DuPont's patents. Columns (2) and (4) exploit a matched control group that minimizes pre-trend differences.